Vinyl and Faux Leather Fabrics

teal

Manufacturer:

SPRADLING®

Spradling

Fabric Range:

Valencia™ C5

Description:

Spradling®'s most recognized faux leather collection, Valencia™, is renowned for its high performance and easy-clean properties. Enhanced by the coated finish PERMABLOK3®, Valencia™ offers inherent protection against viruses, bacteria, stains, and abrasion. These features make it the preferred choice for upholstered surfaces in high-traffic areas, such as airports, restaurants, theatres, and public spaces. Additionally, Valencia™ boasts Crib 5 fire resistance, ensuring safety and compliance with stringent fire safety standards. Available in 66 colourways, Valencia™ combines durability and versatility, making it ideal for various commercial applications.

Colour Selections:

AMETHYST	APFEL	AUSTER	AVOCADO	AZURE	BALTIC	BEIGE
BERRY	BUCHE	CACTUS	CAMEL	CASHMERE	CHESTNUT	CLOUD
COGNAC	CORAL	DELFT	EUCALYPTUS	EVEREST	FUNGI	GRAPHITE
GRÜN	IVORY	JADE	KIRSCHE	LAUREL	LAVENDEL	LEINEN
LICHTGRAU	LOTUS	MARINE	MELONE	METEOR	MISTY	MOCCA
NIGHT	OLIVE	ORANGE	PEACH	PEARLESSENC	PERLE	PETROL
PINE	PINK	PLATIN	PORT	PRALINÉ	PURE WHITE	ROSÉ

Vinyl and Faux Leather Fabrics

teal

Colour Selections:

ROT	SAFRAN	SCHWARZ	SCUBA	SILVER	SISAL	SKYLIGHT
SONNE	SQUASH	TAUPE	TEAL	TERRACOTTA	TITAN	TÜRKIS
ULTRA VIOLET	WARM GREY	WEISS				

Technical Details Input

teal

Composition:

COMPOSITION: Vinyl / Urethane Topcoat
BACKING: 100% Cotton

FR Certification: :

AT: ÖNORM A 3800 Teil 1, Qualmbildungsklasse Q1 - schwachqualmend AT: ÖNORM B 3825, Gruppe 1 - Schwerbrennbares Verhalten DE: DIN 4102 B2 EU: EN 1021 Part 1 & 2 FR: NF D 60-013 (art. AM 18) FR: NF P 92-503/M2 IT: UNI 9175 (1987) / UNI 9175/FA1 (1994) Classe 1.IM (UNO I EMME) UK: BS 5852 Part 2 CRIB 5 UK: BS 7176 Medium Hazard US: CAL TB 117-2013, Section E US: FAR 25/853 US: FMVSS 302 US: NFPA 260 - Class 1

Fabric care and maintenance:

PRODUCTS WITH PERMABLOK3®, & PERMAGUARD®
Spradling® products are in its majority protected by PERMABLOK3® or PERMAGUARD®, two of the most effective defence systems against germs, stains and abrasion.Two impermeable barriers to safeguard your investment. For optimum care and cleaning please read the following instructions and recommendations.

Disinfectant Use:
The information published in this care guide refers to the performance of PERMABLOK3® and PERMAGUARD® products in specifics tests conducted under laboratory conditions. Results may vary under actual conditions.

Asepticare TB + II
Antifect (in 0.5 % dilution) Caviwipes XL Packed Cleanisept Wipes
Clorox Healthcare Bleach Germicidal Wipes Coverage Plus
Germicidal Wipes Desomed rapid
FD 366
Hydrogen Peroxide Cleaner Disinfectant Wipes Instrunet Anionsurf
Lysol Foaming Disinfectant Cleaner
Microzid
Oxivir TB Wipes
Oxycide Diluted –3oz/gl in water PDI Sani-cloth bleach wipes Sanicloth AF 3
Sodium Hypochlorite. Disinfectant
Bletach cleaner. Dilution: 1:10 mix of bleach and water.
Surfanios Premium
(in 0,25% dilution)
Surfa'Safe Premium
(in 0,25% dilution)
Super Sani-cloth
Virex II 256 (1:256 Dilution) Virox 5 Rtu
Wet wipe
Wex Cide 128 (1:128 dilution)

Spradling® Europe is not sponsored by, affiliated with, or endorsed by the above trademark owners. Additionally, any use by Spradling® Europe of any third-party trademark does not constitute any endorsement by Spradling® Europe of such third parties.
Rinse the area with clean water, then dry with a clean, lint-free cloth after using any disinfectants and cleaners.

Cleaning After Disinfection:
The coated fabric should be cleaned periodically in order to maintain its appearance and prevent build-up of dirt and contaminants. Any stain, spills, or soiling should be cleaned up immediately to prevent the possibility of permanent staining.
Use a mixture of liquid soap (neutral pH) and water or our approved
cleaning products for coated fabrics to remove stains on the surface of the material. Remove only with a damp white cloth. Lacquers, strong cleaners, detergents, xylene-based solutions, acetone, or ketone (MEK) cause immediate damage and contribute to the deterioration of the material. The use of such cleaners is at the owner's risk.

Daily Cleaning
1. Clean the entire surface using a mixture of 1:9 liquid soap (neutral pH) and water. Do not use soap or cleaning solutions that contain alcohol, ketones, xylene, acetates or solvents (mineral/white spirits).
2. Completely remove excess cleaner with a white, clean, damp cloth.
3. Dry the surface.
Cleaning methods to removetougher stains
Step 1: Coffee, juice, red wine, sauces, chocolate, grease, crayon and suntan lotion. Remove excess spill with a damp cloth. Clean with a 1:9 mix of neutral liquid soap and water. Next, rinse with clean water and d r y.
Step 2: Make-up Use a straight application of neutral PH soap.Wipe with a clean white cloth or soft brush, rinse with clean water, and dry.
Step 3: Blood, urine, faeces and all other tough stains Use a 1:10 mix of Isopropyl alcohol and water. Rinse thoroughly with clean water and d r y.
Note: For cleaning use a soft white cotton cloth saturated with the recommended cleaning agent and rub the stain in circles 10 times. Pat dry with another soft white cotton cloth and check the results. Do not use steel bristle brushes, abrasive scouring pads or metal, these cause permanent damage to the fabric.
Methods 2 & 3 are not recommended for everyday cleaning!
After cleaning, rinse the area with clean water, then dry with a clean, lint-free cloth. Failure to remove chemical residue will cause discolo- ration of the coated fabric surface to manifest earlier in the life cycle of the product.