

SOLUTIONS FOR HEALTHCARE

Medical Equipment



teal

Medical Equipment

At Teal we are committed to offering a range of premium quality medical equipment to help optimise efficiency and enhance the environment for healthcare professionals.

Designed for demanding high traffic healthcare environments our ranges contribute to improved workplace efficiency, while enhanced quality materials meet the needs for durability, hygiene and practicality in the delivery of care.

Flexible options are available on many products including Eolis® modular trolleys - fully customisable, with multiple options available to meet clinical needs. All are designed with healthcare professionals in mind with security, safety, ease of operation and infection control in mind.

teal + health

Brochure Guide

A range of Medical Equipment designed for clinical settings, including hospitals, clinics and care homes.

	Sterilisation Operating Room	4
	Waste + Linen Management	30
	Treatment Management	42
	Examination + Consultation	50
	Eolis® Modular Equipment	58

Teal is an approved NHS supplier under the following framework agreements:

NHS Medical Healthcare Furniture 2020/S 252-638069



NHS Shared Business Services Design Furniture and Appliances 2 SBS10246

NHS Scotland Furniture and Associated Services NP785/23

Sterilisation + Operating Room

Index

+	CSSD Furniture	
	Packing Workstations: Fixed Height	6
	Hook Trolleys + Wall Holders	7-8
	Accessories for Workstations + Hook Trolleys/Wall Holders	9-10
	Sterilisation Baskets	11
	Service Trolleys	12
+	Transport Trolleys	
	Open Transport Trolleys: Options + Accessories	13 16-17
+	Shelving + Storage Systems	
	Stainless Steel Shelving:	
	Fixed Shelving	14
	Mobile Shelving	15
	Shelves + Accessories	16-17
	Sliding Shelving System INOX'Slide®	18
+	Operating Room Furniture	
	Instrument Tables	20
	Mayo Tables	21
	Bridge Table	21
	Treatment Trolleys	22
	Infusion Stands	24
	Shoes/Dirty Linen Collection Trolley	26
	Basin Holders + Kick Bucket	26
	Decontamination Trolleys	27
	Wheel Options	28



Packing Workstations - Fixed Height

Fixed height tables developed especially for use in packing areas, for sorting, inspection, and packing of various sets of surgical instruments.

Standard Features

- Stainless steel tube frame (25 x 25 mm section)
- Quality 18/10 (AISI 304) fully welded -
- Brushed surface finish
- Worktop in stainless steel sheet (1.5 mm thick) or high density antimicrobial resin, white color (13 mm thick - M1 fire classification)
- Fitted with lower shelf holders (2 fixing levels) as standard
- Ø 125 mm swivel wheels, 2 with brake (front)
- Max. load on the tray: 80 kg



REF. 810.55 + options



REF. 810.51

DIMS L X W X H

900 x 700 x 900 mm (fits 1 bridge)

1400 x 700 x 900 mm (fits 2 bridges)

2000 x 700 x 900 mm (fits 2 bridges)

	STAINLESS STEEL WORKTOP	RESIN WORKTOP
900 x 700 x 900 mm (fits 1 bridge)	810.51	810.54
1400 x 700 x 900 mm (fits 2 bridges)	810.52	810.55
2000 x 700 x 900 mm (fits 2 bridges)	810.53	810.56

Options

Bridge for packing station	1 side with 2 fixing levels	810.26
	2 sides with 2 fixing levels	810.27
Fixing set for computer arm		810.30
Lateral hooks for accessories		810.28
Replacement of the wheels by 4 height adjustable pads		810.29

Accessories

	WIRE	SOLID
Lower stainless steel shelf for fixed height workstations (2 fixing levels)	800 x 500 mm	830.72
	800 x 600 mm	830.75
	1300 x 500 mm	830.74
	1300 x 600 mm	830.77
	1900 x 500 mm	-
	1900 x 600 mm	-

More accessories available on pages 9 - 11

Hook Trolleys for Baskets/Accessories

Medical carts for organising, transporting and storing the equipment needed for surgical procedures.

Standard Features

- 1 or 2 sided trolleys fitted with hooks for transporting baskets and accessories on 2, 3 or 4 levels
- Central space that can be equipped to receive baskets or DIN format 600 x 300 containers
- Stainless steel frame and hooks
- Quality 18/10 (AISI 304) fully argon welded
- Space between the hooks: 340 mm
- Polyamide Ø 100 mm swivel wheels with stainless steel ball bearing (compatible with washing tunnel)



REF. 830.79 + options



REF. 830.83 + options



MODEL	LEVELS	HEIGHT	DIMS L X W	REF.
1 side loading	2 levels	905mm	628 x 545 mm	830.95
	3 levels	1245 mm		830.80
	4 levels	1585 mm		830.81
2 sides loading	2 levels	905 mm	628 x 850 mm	830.96
	3 levels	1245 mm		830.82
	4 levels	1585 mm		830.83
2 sides loading with central space	3 levels	1245 mm	628 x 1205 mm	830.78
	4 levels	1585 mm		830.79

Options

Supplement for welded extremities	893.21
-----------------------------------	---------------

Accessories

Tilt device for 600 x 300 sterilisation baskets (per unit)	890.19	
Central telescopic frame for sterilisation container	893.24	
Central shelf	Stainless steel sheet 350 x 535 x 34 mm	893.31
	Stainless steel wire - 350 x 535 x 50 mm	893.32
Base shelf	For 1 and 2 sided trolleys	893.26
	For trolleys with central space	893.27

More accessories available on pages 9 - 11
Wheel options page 28

Hook Wall Holders for Baskets + Accessories

Wall mounted holders (provided with fixing kit) for sterilisation baskets and accessories.

Standard Features

- Stainless steel square tubes (35 x 20 mm section) - Quality 18/10 (AISI 304) - Sold in pairs
- Welded hooks compatible with sterilisation baskets & accessories
- Space between the hooks: 200 or 400 mm
- Fixing kit with supplied dowels & screws (stainless steel)



REF. 830.85 + options

DIMS L X W X H	LEVELS	HEIGHT	REF.
400 mm	4 levels	1600 mm	830.85
	3 levels	1200 mm	830.86
	2 levels	800 mm	830.87
	1 level	400 mm	830.88
200 mm	8 levels	1600 mm	830.89
	6 levels	1200 mm	830.90
	4 levels	800 mm	830.91
	2 levels	400 mm	830.92

Options

4 welded waterproof ends	893.28
Separation spacer between the wall and the holder (sold individually)	893.30



REF. 893.28



Sterilisation baskets available page 11



REF. 893.30

Accessories for Workstations + Hook Trolleys/Wall Holders



REF. 890.45



REF. 890.47



REF. 890.35

Multifunctional Shelves

Stainless steel sheet or wire frame. Front edge and side openings
Width 600 mm

MODEL	DIM W X D X H	SOLID	WIRE
Single	300 x 150 mm	890.44	890.45
Double	200 x 300 mm	890.46	890.47

Suture Boxes Holder

Stainless steel wire frame
Capacity 5 boxes (120mm)/Level

	REF.
2 levels	890.36
4 levels	890.35



Reversible Shelf

Stainless steel sheet & wire frame for Notebook or PC monitor

DIM W X D X H	REF.
600 x 400 x 150 mm	890.48



Glove Boxes Holder

Stainless steel wire frame
Capacity: 6 boxes

DIM W X D X H	REF.
600 x 145 x 180 mm	890.38



Tilt Device for 600 x 300 sterilisation baskets

PER UNIT	REF.
Ref: 890.19	



Sterilisation Container Holder

Stainless steel wire frame
2 levels: container (top) / lid (bottom)

DIM W X D X H	REF.
640 x 350 x 240 mm	890.51



Decontamination Container Holder

Stainless steel wire frame
For 530 x 325 mm containers

DIM W X D X H	REF.
600 x 350 x 350 mm	890.34



Paper Sheets/File Holder

DIM W X D X H	REF.
600 x 145 x 320 mm	890.42



REF. 1103.54

Height Adjustable Computing Arms

For packing workstations

	REF.
For Laptop	1103.54
With VESA Panel	1103.56



REF. 327.14

Magnifying Lamp

On articulated arm with fixing clamp for bridge
For packing workstations

REF. 327.14

Accessories for Workstations + Hook Trolleys/Wall Holders



Roll Holder
Stainless steel wire frame
Sealed central axis
DIMS W X D X H
600 x 205 x 180 mm

REF.
890.43




Roll Holder with Cutter
Stainless steel tube & sheet frame
Supported by an anti-vibration panel
DIM W X D X H
630 x 360 mm

REF.
330.96



Shoes Holder
Stainless steel wire frame
Capacity: 6 pairs
600 x 145 x 350 mm

REF.
890.39



Probe Hooks Holder
Stainless steel wire frame
8 hooks with 150 mm useful length
Lower level for storing the lid

DIM W X D X H
590 x 190 x 120 mm

REF.
890.52



Probe Rack for Rail
Stainless steel perforated sheet & wire frame
3 compartments (95 x 140 mm)

DIM W X D X H
300 x 140 x 500 mm

REF.
890.41



Tilting Storage Bins
ABS beige tray + transparent drawers

BINS	DIM W X D X H	REF.
3	600 x 160 x 240 mm	892.16
5	600 x 110 x 165 mm	892.18
6	600 x 75 x 115 mm	892.19
11 (2 levels)	600 x 110 x 280 mm	892.22



Storage Bin Holders
Stainless steel sheet frame

MODEL	DIM L X H	REF.
1 level	600 x 100 mm	890.60
2 levels	600 x 280 mm	890.61



Storage Bins
Colours: blue, green, red, yellow, grey

		REF.
1L	103 x 165 x 83 mm	890.65
3.5L	145 x 240 x 125 mm	890.66
10L	207 x 345 x 165 mm	890.67
30L	303 x 485 x 190 mm	890.68

Sterilisation Baskets

Stainless steel Sterilisation and instrument baskets for use in all types of autoclave.

Standard Features (Sterilisation Baskets)

- Stainless steel wire baskets - Quality 18/10 (AISI 304).
- 50 x 30 mm mesh (lateral sides) and 30 x 30 mm mesh (bottom). Rounded edging to avoid any risk of tearing
- Standardised models for all types of autoclave - Conform to standard NF S 90.322
- Integrated handles - Stainless steel label holder included. Device for stacking baskets


Standard Features (Instrument Baskets)

- Stainless steel wire baskets - Quality 18/10 (AISI 304) - 3.35 x 3.35 mm mesh
- Standardised models for all types of autoclave - Conform to standard NF S 90.322
- Retractable handles inside the basket - device for stacking when loaded/empty



FORMAT (DIM L X W)	HEIGHT	STANDARD	LOW CUT FRONT
DIN (600 x 300 mm)	300 mm	890.10	890.21
	150 mm	890.11	890.22
ISO (600 x 400 mm)	300 mm	890.00	890.20
	150 mm	890.01	890.23

Accessories



REF. 890.12 REF. 890.13



REF. 890.40

Vertical Separation		DIN		ISO
		300 mm	890.12	890.02
Length	150 mm	890.13	890.03	
	300 mm	890.04		
Width	150 mm	890.05		
	Additional stainless steel label holder		890.40	

Instrument Baskets



REF. 803.01



REF. 803.10

DIM L X W	H. 50 mm	H. 100 mm
540 x 250 mm	803.01	803.02
480 x 250 mm	803.04	803.05
405 x 250 mm	803.07	803.08
255 x 250 mm	803.10	803.11

Service Trolleys

Stainless steel service trolleys with push handles. Equipped with swivel wheels with bumper rollers.

Standard Features (Service Trolleys)

- Solid and hygienic construction entirely argon welded, without hardware - 18/10 stainless steel quality (AISI 304)
- Stainless steel frame with 2 side push handles
- Reinforced and soundproofed stainless steel sheet trays - Equipped with a stainless steel rail guard on three sides on the lower tray(s)
- Compact resin trays, class M1 6 mm thick, white colour - Equipped with a stainless steel rail guard on three sides on the lower tray(s)
- Polyamide Ø 100 mm or Ø 125 mm swivel wheels with stainless steel ball bearing equipped with bumper rollers
- Max. load : 60 kg

Standard Features (Service Trolleys - High Load Capacity)

- Robust construction designed for heavy loads. Entirely argon welded - 18/10 stainless steel quality (AISI 304)
- Stainless steel square tube frame 30 x 30 mm - Stainless steel built-in side push handles Ø 25 mm
- Stainless steel sheet trays with 15/10 thickness with turned down edges on the front and raised edges on the 3 sides
- Swivel wheels Ø 125 mm equipped with bumper rollers
- Max. load : 80 kg



REF. 403.65



REF. 402.52

MODEL	HEIGHT	WHEELS	2 Trays	3 Trays
Stainless steel	600 x 400 x 970 mm	Ø 100 mm	403.47	403.49
	700 x 500 x 970 mm		403.51	403.63
	800 x 600 x 990 mm	Ø 125 mm	403.53	403.65
	1000 x 600 x 990 mm		403.55	403.67
High load capacity	800 x 600 x 1010 mm	Ø 125 mm	402.52	402.53
	1000 x 600 x 1010 mm		402.54	402.55

Trolleys for Sterilisation Sheets

Standard Features

- Stainless steel frame - Quality 18/10 (AISI 304) - fully argon welded with integrated handlebar.
- Designed for storing 4 different sizes of sterilization wrapping sheets (up to 1200 mm) - Independent liftable systems to hold the sheets.
- Ø 100 mm swivel wheels,- 2 with brakes
- Max load 80 kg



MODEL	DIM L X W X H	REF.
4 supports	1350 x 650 x 950 mm	800.19

Open Transport Trolleys

A range of open hospital trolleys designed for safe storage and transportation of medical supplies.

Standard Features (DIN Format)

- Stainless steel square tubes frame - Quality 18/10 (AISI 304) fully welded
- Lateral ladders fitted with steps (10 levels - Adjustment every 100 mm) for DIN shelves & accessories
- Polyamide Ø 125 mm swivel wheels, 2 with brakes, with stainless steel ball bearings.

Standard Features (ISO Format)

- Stainless steel assembled tubes frame - Quality 18/10 (AISI 304)
- Push handle included - Optional high density antimicrobial resin top tray
- Lateral ladders fitted with steps (9 levels - Adjustment every 100 mm) - Equipped with 4 pairs (single) or 8 pairs (double) of removable composite runners
- Polyamide Ø 125 mm swivel wheels, with stainless steel ball bearings



REF. 830.29 + Options




REF. 1002.15 + options

MODEL	CAPACITY	DIM L X W X H	REF.
Double	2 x 10 levels	809 x 684 x 1357 mm	830.28
Triple	3 x 10 levels	1184 x 684 x 1357 mm	830.29

MODEL	DEPTH	DIM L X W X H	REF.
Single (9 levels)	400 mm	697 x 472 x 998 mm	1002.15
	600 mm	497 x 672 x 998 mm	1002.17
Double (2 x 9 levels)	400 mm	1335 x 472 x 998 mm	1002.16
	600 mm	935 x 672 x 998 mm	1002.18

DIN Accessories



Full list of accessories on page 16 & 17

ISO Options & Accessories



REF. 1102.89



REF. 1200.26

	400 mm	600 mm	Single	Double
High density antimicrobial resin			1102.89	1103.28
Additional pairs of runners	400 mm	600 mm		1200.26
				1200.27



ISO Wire Baskets & Shelves available page 17

Stainless Steel Fixed Shelving

Flexible, modular storage system. Tailor-made layout to optimize your storage space, according to your needs.

Standard Features (Service Trolleys)

- Side ladders in stainless steel welded square tubes (25 x 25 mm) - Quality 18/10 (AISI 304) fitted with cleats - Space between cleats: 190 mm.
- Assembled with reinforcement cross brace & front connecting bar for optimal robustness.
- To equip with shelves and container/basket holders (sold separately).
- Adjustable pads (fixed) or polyamide Ø 125 mm swivel wheels, 2 with brake (mobile)



Assembled fixed shelving



REF. 830.50



REF. 830.53

Side Ladders for stainless steel fixed shelving (per unit)

HEIGHT	LEVELS	Depth 500 mm	Depth 600 mm
1100 mm	6 levels	830.50	830.54
1500 mm	8 levels	830.51	830.55
1800 mm	10 levels	830.52	830.56
2000 mm	11 levels	830.53	830.57


Options

	REF.
Supplement for adjustable stainless steel pads	893.15
Waterproof welded end stop tube ladders	893.29

Shelves & container/
basket holders
available pages 17

Accessories

	WIDTH	REF.
Cross brace reinforcement	DIN / ISO	893.23
	800 / 1000 / 1300 mm	893.03
	DIN / ISO	893.22
Front connecting bar	800 mm	893.04
	1000 mm	893.05
	1300 mm	893.06
Cross telescopic brace reinforcement (angle)		893.42



Stainless Steel Mobile Shelving


Storage system with stainless steel structure, flexible and modular. "Tailor-made" layout to optimize your storage spaces, according to your needs.

Standard Features (Service Trolleys)

- Side ladders in stainless steel welded square tubes (25 x 25 mm) - Quality 18/10 (AISI 304) fitted with cleats - Space between cleats: 190 mm.
- Assembled with reinforcement cross brace & front connecting bar for optimal robustness.
- To equip with shelves and container/basket holders (sold separately).
- Adjustable pads (fixed) or polyamide Ø 125 mm swivel wheels, 2 with brake (mobile)



REF. 830.38 + OPTIONS



REF. 830.46

Side Ladders for stainless steel mobile shelving (per unit)


HEIGHT	LEVELS	WIDTH	
		Depth 500 mm	Depth 600 mm
1245 mm	6 levels	800 mm	830.30
		1000 mm	830.31
		1300 mm	830.32
1625 mm	8 levels	800 mm	830.33
		1000 mm	830.34
		1300 mm	830.35
2005 mm	10 levels	800 mm	830.36
		1000 mm	830.37
		1300 mm	830.38

Accessories

Rear retaining grilles

Designed for 1800 and 2000 mm high shelves only.

WIDTH	REF.	WIDTH	REF.
DIN	893.25	1000 mm	893.08
800 mm	893.07	1200 mm	893.09




Shelves & container/
basket holders available pages 16 & 17

Shelves for Stainless Steel Shelving

Stainless steel wire or solid shelves to help optimise storage.

Standard Features (Service Trolleys)

- Designed for installation on the cleats of side ladders.
- Stainless steel wire or solid shelves (sheet 10/10 thick) - Quality 18/10 (AISI 304) fitted with hooks on each corner.
- Clean finish with dropped edges for the safety of users and the protection of stored products.



REF. 830.60




REF. 830.72

Shelves for Side Ladders with Cleats

HEIGHT	WIRE SHELVES		SOLID SHELVES	
	DEPTH 500 MM	DEPTH 600 MM	DEPTH 500 MM	DEPTH 600 MM
350 mm - DIN format	830.58	830.59	830.48	830.49
400 mm	-	-	-	830.66
800 mm	830.72	830.75	830.60	830.63
1000 mm	830.73	830.76	830.61	830.64
1300 mm	830.74	830.77	830.62	830.65

Accessories for Shelves



Shelf Separators

DEPTH	REF.
500 mm	893.12
600 mm	893.13



Adjustable Adhesive Label Holder

LENGTH	REF.
350 mm	1101.46
1200 mm	1200.69



Connecting Piece for Corner Shelving

DEPTH	REF.
500 mm	893.01
600 mm	893.02

Accessories for Stainless Steel Shelving



Telescopic Frame for Sterilisation Containers

Stainless steel frame with hooks / For D. 600 mm shelving

REF. 893.34



L-shaped holders for DIN Containers & Baskets

Stainless steel frame with hooks / For D. 600 mm shelving

REF. 893.40



U-shaped Holders for ISO 600x400 Baskets & Shelves

Stainless steel frame with hooks / For D. 600 mm shelving


REF. 893.41



Telescopic Resin Shelves

High density antimicrobial resin - Integrated handle

FORMAT	DIM L X W	REF.
DIN	600 x 325 mm	893.44
ISO	600 x 400 mm	893.45



Wire Shelves

Stainless steel welded frame / Integrated handles

FORMAT	DIM L X W	REF.
DIN	600 x 300 mm	803.24
DIN	600 x 325 mm	803.25
ISO	600 x 400 mm	803.26



Wire ISO 600 x 400 baskets

Stainless steel welded frame / Integrated handles
Stackable basket system (loaded & empty)

REF.	
100 mm	803.19
130 mm	803.20
200 mm	803.21


Sliding Shelving System INOX'SLIDE®

INOX'Slide® sliding stainless steel shelving systems designed to optimize storage capacity: up to 100% more storage space.

Standard Features (Service Trolleys)


- INOX'SLIDE® sliding shelving system designed to optimize storage capacities.
- Side ladders for stainless steel fixed shelving (Height 2000 mm) - To be installed on mobile bases (available with guide kits).
- Rails placed on the ground without floor Holes + mobile base (guide kit) for each mobile shelving.
- Double mobile shelving can be constructed with a back-to-back fixing kit (optional).

Operating Room Furniture




	MODEL	REF.
A	Pair of INOX'SLIDE® SOL (1 linear metre - No length limit)	1200.93
B	Kit of 4 end stops for SOL'SLIDE® rails	1200.94
C	INOX'SLIDE®, SOL guide kit for mobile shelving	
	Depth 500	893.54
	Depth 600	893.55
	Double DIN	893.58
D	INOX'SLIDE®, SOL guide kit for mobile shelving	
	Tripple DIN	893.59
	Depth 500 - Height 2000	893.53*
E	Lateral ladder for fixed stainless steel shelving (sold individually)	
	Depth 600 - Height 2000	830.57*
E	Kit of 4 fixings for back-to-back shelving junction	893.60
F	Identification plate for stainless steel shelving	
	Depth 500	893.61
	Depth 600	893.62


*Please note: Depth 500 = 3 ladders / Depth 600 = 4 ladders



Layout with stationary shelving



Layout with INOX'SLIDE® sliding system



Shelves & Accessories for INOX'SLIDE® sliding system available page 17

Instrument Tables

With a choice of stainless steel or high density anti-microbial resin shelves our instrument trolleys are designed for durability and ease of cleaning, for use in operating rooms.

Standard Features (Service Trolleys)

- Stainless steel Ø 25 mm tubes frame - Quality 18/10 (AISI 304) fully argon welded.
- Top tray (with rounded corners) in stainless steel sheet or high density antimicrobial resin, white colour (M1 fire classification) - Clean finishing suitable to the operating room.
- With or without push handles, made of curved tubes on each side.
- Galvanised steel Ø 100 mm swivel wheels.



REF. 305.14



REF. 301.03



REF. 305.37



REF. 305.53



REF. 305.56

DIM L X W - TRAY	HEIGHT	1 TRAY		2 TRAYS	
		STAINLESS	RESIN	STAINLESS	RESIN
600 x 400 mm	850mm	305.36	-	301.03	-
700 x 500 mm		305.37	-	301.09	-
800 x 500 mm		305.02	305.53	305.06	305.54
1000 x 600 mm		305.10	305.55	305.14	305.56
1200 x 600 mm		305.33	305.57	305.19	305.58
1600 x 600 mm		305.35	-	305.23	-

Option

	REF.
4 round wheel bumpers	390.99

Wheel options on page 28

Mayo Tables

Standard Features

- Stainless steel tubes frame - Quality 18/10 (AISI 304) fully argon welded.
- Top tray with dropped or raised edges - Clean finishing suitable to the operating room.
- Height-adjustable column with manual (handle) or hydraulic (pedal) control
- Ø 50 mm swivel wheels.
- Max. Load : 15 kg



REF. 305.65



REF. 305.66

Wheel options page 28

MODEL	DIM TRAY	HEIGHT	DROPPED EDGES	RAISED EDGES
Manual variable height	600 x 400 mm	820 - 1250 mm	305.65	305.64
Hydraulic variable height		820 - 1160 mm	305.67	305.66

Bridge Table

Standard Features

- Stainless steel tubes frame - Quality 18/10 (AISI 304) fully argon welded.
- Top tray with dropped edges - Clean finish suitable for the operating room.
- Height-adjustable columns with manual control (handles on each side).
- Ø 100 mm swivel wheels, 2 with brakes.
- Max. Load : 15 kg



REF. 305.60

MODEL	TRAY	DIM. TRAY	HEIGHT	REF.
Manual variable height	1000 x 600 mm dropped edges	1000 x 600 mm	950 - 1400 mm	305.64

Treatment Trolleys

Our treatment trolleys feature dropped or upturned edges with model options from 2 to 5 shelves. Durable & seamlessly welded frames, these trolleys are designed for ease of cleaning.

Standard Features

- Stainless steel Ø 25 mm tubes frame - Quality 18/10 (AISI 304) fully argon welded. Trays with dropped or raised edges - Clean finish suitable for the operating room. With or without push handles, made of curved tubes on each side.
- Galvanised steel Ø 100 mm swivel wheels.
- Max. Load : 30 kg



HEIGHT	TRAYS	DIM. L X W	DROPPED EDGES		RAISED EDGES	
			WITH PUSH HANDLES	WITHOUT PUSH HANDLES	WITH PUSH HANDLES	WITHOUT PUSH HANDLES
840 mm	2 trays	500 x 500 mm	-	312.54	-	-
	3 trays		-	312.55	-	-
			-	-	-	312.50
860 mm	2 trays	600 x 400 mm	312.17	312.01	312.25	312.09
		700 x 500 mm	312.19	312.03	312.27	312.11
		800 x 600 mm	312.21	-	312.29	-
	3 trays	450 x 350 mm	-	-	-	312.51
		600 x 400 mm	312.18	312.02	312.26	312.10
		700 x 500 mm	312.20	312.04	312.28	312.12
1110 mm	4 trays	800 x 600 mm	312.22	-	312.30	-
		600 x 400 mm	-	-	-	302.66
		700 x 500 mm	-	-	-	302.67
1410 mm	5 trays	600 x 400 mm	-	-	-	302.68
		700 x 500 mm	-	-	-	302.69

Treatment Trolley Options + Accessories



Guard Rails

SIDE	WITHOUT PUSH HANDLE		WITH PUSH HANDLE		
	600 X 400	700 X 500	600 X 400	700 X 500	800 X 600
1 side	-	-	391.60	391.61	391.62
2 sides	391.34	391.35	-	-	-
3 sides	391.30	391.32	391.30	391.32	391.28
4 sides	391.31	391.33	-	-	-

Drawer Block on Runners

TROLLEYS	REF.
600 x 400 mm	391.36
700 x 500 mm	391.37

Compartments (9 Cases)

Material	REF.
Aluminium	391.44
Plastic	394.70



Waste Bag Holder

With Ø 25 mm fixing/pivoting clamp

CAPACITY	REF.
10/20L	390.65
20/30L	390.78



Sharps Container Holders

With Ø 25 mm fixing/pivoting clamp

MODEL	REF.
Grey Epoxy	390.70
Stainless Steel	390.76



Laptop Support

Height-adjustable

REF. 494.27

* lockable cable for laptop - REF.338.78



Removable Tray/Pan

With Ø 25 mm fixing/pivoting clamp

MODEL	DIM	REF.
Tray	220 x 140 mm	390.54
2L pan	Ø 220 mm	390.55



Removable Wire Basket

With Ø 25 mm fixing/pivoting clamp

MODEL	DIM L X W X H	REF.
	300 x 300 x 150 mm	391.16



Tilting Plastic Bins

For trolleys with dropped edges

MODEL	REF.
5 boxes (on 1 level)	394.71
8 boxes (on 2 levels)	394.72
11 boxes (on 2 levels)	394.73



IV. Holder with 2 Hooks

MODEL	REF.
Curved hooks	317.03
Open hooks	317.05

+ Ø 25mm fixing clamp - REF.390.50



Folding Side Shelf

TROLLEYS	DIM L X W	REF.
600 x 400 mm	370 x 310 mm	391.45
700 x 500 mm	470 x 350 mm	391.46


Infusion Stands

Premium quality stainless steel infusion stands with two or four hook options (in stainless steel or plastic) available with a range of accessories for use in clinical environments.

Standard Features

- Height-adjustable tube (Ø 25 mm) and IV pole (Ø 16 mm) made from stainless steel tube
- Stainless steel or plastic hooks, curved or open - Maximum weight per hook: 4 kg
- Leg with 5 branches made of stainless steel or plastic equipped with wheels Ø 50 mm

Standard Colours



REF. 317.37



REF. 317.25

HOOK	CAPACITY	DIM. Ø X H. MAX	PLASTIC BASE		STAINLESS STEEL BASE		
			STAINLESS STEEL TUBE	EPOXY * TUBE	UNI-MANUAL STAINLESS STEEL	STANDARD SETTING	UNI-MANUAL SETTING
Curved plastic	2 hooks	50 x 1800 mm	317.12	317.32	317.50	317.22	317.44
	4 hooks		317.13	317.33	317.51	317.23	317.45
Curved stainless steel	2 hooks		317.14	317.36	317.46	317.24	317.40
	4 hooks		317.15	317.37	317.47	317.25	317.41
Open stainless steel	2 hooks		317.20	317.34	317.48	317.26	317.42
	4 hooks		317.21	317.35	317.49	317.27	317.43

All the IV poles on this page are certified CE

Hook Specifications:



Curved Plastic



Curved Stainless Steel



Open Stainless Steel

Infusion Stand Options + Accessories

Accessories for All Infusion Stands



Stainless Steel Trays

With edges

MODEL	REF.
Square 330 x 330 mm	397.20
Round Ø 300 mm	397.21



Polycarbonate Tray

With edges

MODEL	REF.
Rectangular 350 x 270 mm	390.25



Stainless Steel Guide Handle

REF. 397.22



Label Holder

REF. 397.32



Standardised Stainless Steel Rail

REF. 397.24



Stainless Steel Pump Holder

REF. 397.23

Accessories for Infusion Stands with Plastic Base



Plastic Base

With pole

MODEL	REF.
Epoxy	317.07
Stainless steel	317.08



Ballast 3.5 kg

For plastic base

MODEL	REF.
REF. 397.31	



Additional cost for 5 swivel wheels

With 2 with brakes

MODEL	REF.
Anti-static	397.27
Paediatric	397.28
Ø 80 mm	397.29

Accessories for Infusion Stands with Stainless Steel Base



Ballasted feet 4 kg

For stainless steel base

REF. 397.07



Additional cost for 2 wheels with brakes

REF. 595.25

Shoes/Dirty Linen Collection Trolley

Standard Features

- Stainless steel wire frame (40 x 40 mm mesh)
- Quality 18/10 (AISI 304) fully welded.
- Ø 100 mm swivel wheels.

Wire Shelves

Stainless steel welded frame / Integrated handles

FORMAT	DIM L X W	REF.
Collection Trolley	600 x 300 mm	800.70
Hook Trolley - 3 levels	600 x 325 mm	830.80
Shoes Holder - Capacity 6 pairs (for hook trolley)		890.39

Wheel options
page 28



REF. 830.80 + 3 x 890.39



REF. 800.70

Basin Holders & Kick Bucket

Standard Features (Basin Holders)

- Stainless steel tubes frame - Quality 18/10 (AISI 304) fully argon welded.
- Height-adjustable bowl holder - Manual control.
- Ø 260 mm removable stainless steel bowl - Capacity 3 litres.
- 5 Ø 50 mm swivel wheels.

Standard Features (Kick Bucket)

- Stainless steel bowl holder
- Ø 430 mm removable stainless steel bowl - Capacity 14 litres.
- 4 Ø 50 mm swivel wheels.



REF. 307.70



REF. 307.72



REF. 307.99

	CAPACITY	DIM. Ø	HEIGHT	REF.
Basin holders	1 x 3 litres	Ø 500 mm	850 - 1250 mm	307.70
	2 x 3 litres			307.72
Kick bucket	14 litres	Ø 430 mm	160 mm	307.99

Option

	REF.
Additional cost for 2 brake wheels	595.25

Wheel options
page 28

Decontamination Trolleys

Premium quality stainless steel mobile shelving holds up to 4 containers, with swivel wheels for ease of movement (two braked).

Standard Features

- Stainless steel Ø 25 mm tubes frame - Quality 18/10 (AISI 304) fully argon welded - Designed with drain valves protection.
- Cover holder under the container (ref. 800.24 only).
- Ø 125 mm swivel wheels, 2 with brakes - Suitable for washing tunnel



REF. 800.24 + Options



REF. 800.25 + Options



More decontamination
trolleys available
page 7 & 9

MODEL	MAX HEIGHT OF CONTAINERS	DIM L X W X H	REF.
For 1 or 2 containers	320 mm	650 x 460 x 850 mm	800.24
For 3 or 4 containers	215 mm	700 x 460 x 1050 mm	800.25



REF. 890.71



REF. 890.94

Containers - Format 530 x 325 mm

MODEL	CAPACITY	HEIGHT	REF.
Stainless steel	20.5L	150 mm	890.70
	27L	200 mm	890.71
Polypropylene	20.5L	150 mm	890.90
	27L	200 mm	890.91
Decontamination Kit	20.5L	150 mm	890.94

Containers with Drain - Format 530 x 325 mm

MODEL	CAPACITY	HEIGHT	REF.
Polypropylene	20.5L	150 mm	890.92
	27L	200 mm	830.93

REF. 890.86

REF. 890.87

REF. 890.88



Containers - Format 600 x 400 mm

MODEL	CAPACITY	HEIGHT	REF.
Stainless steel	25L	165 mm	890.86
	35L	215 mm	890.87
Polypropylene	35L	215 mm	890.87
	55L	320 mm	890.88



Accessories - Format 530 x 325 mm

	REF.
Stainless steel cover - single	890.86
Stainless steel cover - waterproof	890.75
Transparent polycarbonate cover	890.95

Accessories - Format 600 x 400 mm

	REF.
Polyethylene cover	890.89
Draincock	890.99

Wheel Options

		REF.	Hook Trolleys Page 10	Trolleys for sterilisation sheet Page 15	Instrument Trolleys Page 26	Mayo Tables Page 27	Bridge Table Page 27	Treatment Tables Page 28	Collection Trolleys Page 32	Decon-tamination Trolleys Page 33
2 Ø 100 mm wheels with brakes		395.10			+			+		
2 Ø 100 mm brake wheels for washing tunnels		890.32	+				+		+	
		390.89			+			+		
4 Ø 100 mm antistatic wheels		390.91			+			+		
2 Ø 100 mm antistatic wheels with brakes		390.96			+			+		
4 Ø 100 mm wheels for washing tunnel		390.88			+			+		
4 Ø 125 mm wheels compatible with washing tunnel		390.64	+							
2 Ø 125 mm brake wheels compatible with washing tunnel		1102.90	+							
2 Ø 50 mm brake wheels		390.93				+				
4 Ø 50 mm antistatic wheels		395.09				+				
2 Ø 50 mm antistatic wheels with brakes		397.19				+				
4 Ø 100 mm antistatic wheels including 2 with brakes		390.98					+			
4 Ø 125 mm antistatic wheels including 2 with brakes		892.38								+
Bumper rollers		390.99			+			+		
Additional cost for 4 Ø125 mm wheels including 2 with brakes		890.69		+						



* Only for stainless steel trolleys height 860 mm.

Flexible products to suit your needs

Waste + Linen Management

Index

+	Waste Management	
	Evolu-Tri® Waste Bag/Box Holders:	
	Carts	32-33
	For Trolleys/Carts	34
	On the Floor	35
	Wall Holders	35
	Trash Bins	35
+	Linen Management	
	Linen Carts:	
	Opti-Soins® - Linen collection cart	36
	Opti-Tri® - Linen bag holders	37
	Laundry bags / Washing nets	37
	Transport Trolleys:	
	Transport trolleys (<i>for dirty linen</i>)	38
	Laundry equipment	38
	Nursing Trolleys	40-41



Evolu-Tri® Waste Bag + Box Holders - Single

Designed to reduce waste processing costs, our Evolu-Tri® waste collectors encourage waste sorting at source.

Standard Features

- Robust 25 mm section square tube electropolished 18/10 stainless steel construction.
- Bag and/or box/adjustable holder in 18/10 stainless steel wire with holding device.
- 4 Ø 75 mm swivel castors, 2 of which have brakes, with guards and non-marking rubber tyres.



HOOK	CAPACITY	DIM. L X W X H	REF.
1 bag	30 litres	370 x 350 x 680 mm	SRI 30
	50 litres	410 x 350 x 680 mm	SRI 50
	50 - 120 litres	420 x 400 x 970 mm	SRI 50/120
1 DASRI box holder	25 - 60 litres	420 x 350 x 680 mm	SRI 50 C/F
	50 - 60 litres	420 x 400 x 970 mm	SRI 50/120 C/F

Evolu-Tri® Waste Bag + Box Holders - Double

Designed to reduce waste processing costs, our Evolu-Tri® waste collectors encourage waste sorting at source.

Standard Features

- Robust 25 mm section square tube electropolished 18/10 stainless steel construction.
- Bag and/or box/adjustable holder in 18/10 stainless steel wire with holding device.
- 4 Ø 75 mm swivel castors, 2 of which have brakes, with guards and non-marking rubber tyres.




HOOK	CAPACITY	DIM. L X W X H	REF.
	30 litres	370 x 450 x 680 mm	DRI 30
	50 litres	410 x 450 x 680 mm	DRI 50
2 bags	1 x 30 litres + 1 x 50 litres	410 x 450 x 680 mm	DRI 30/50
	1 x 30 litres + 1 x 120 litres	420 x 550 x 970 mm	DRI 30/120
	1 x 50 litres + 1 x 120 litres	420 x 550 x 970 mm	DRI 50/120
3 bags	1 x 30 litres + 2 x 30 litres	370 x 450 x 680 mm	DRI T30
	1 x 50 - 120 litres + 2 x 50 - 120 litres	420 x 550 x 970 mm	DRI T50/120
4 bags	2 x 50 - 120 litres + 2 x 50 - 120 litres	935 x 420 x 970 mm	DRI Q50/120
1 DASRI bag + 1 box holder	1 x 30 litres (bag) + 1 x 25 - 60 litres (box)	420 x 550 x 680 mm	DRI 30 C/F
	1 x 50 litres (bag) + 1 x 25 - 60 litres (box)	420 x 550 x 680 mm	DRI 50 C/F
	1 x 50 - 120 litres (bag) + 1 x 25 - 60 litres (box)	420 x 600 x 970 mm	DRI 50/120 C/F
2 DASRI bag + 1 box holder	2 x 30 litres (bag) + 1 x 25 - 60 litres (box)	420 x 550 x 675 mm	DRI D30 C/F
	2 x 50 - 120 litres (bag) + 1 x 25 - 60 litres (box)	420 x 600 x 970 mm	DRI D50/120 C/F
2 DASRI box holder	25 - 60 litres	420 x 650 x 680 mm	DRI 50 DC/F
	50 - 60 litres	420 x 660 x 970 mm	DRI 50/120 DC/F

Evolu-Tri® Waste Bag + Box Holders for Treatment Trolleys + Carts

Designed to reduce waste processing costs, our Evolu-Tri® waste collectors encourage waste sorting at source.

Standard Features

- Robust 25 mm section square tube electropolished 18/10 stainless steel construction.
- Bag and/or box/adjustable holder in 18/10 stainless steel wire with holding device.
- 4 Ø 75 mm swivel castors, 2 of which have brakes, with guards and non-marking rubber tyres.



REF. 1501.18



REF. DBL SFI 10/20 D BP



REF. SFI 10/20 D BP



REF. 1501.22

Holders with stainless steel clamps (for trolleys) tube setting

MODEL	POSITION	CAPACITY	REF.	
Single	Right	10 to 20 litres	SFI 10/20 D BP	
	Left		SFI 10/20 G BP	
	Right	20 to 30 litres	SFI 20/30 D BP	
	Left		SFI 20/30 G BP	
Double		10 to 20 litres	DBL SFI 10/20 BP	
		20 to 30 litres	DBL SFI 20/30 BP	
Single		10 to 20 litres	1501.22	
		20 to 30 litres	1501.23	
	Double		10 to 20 litres	1501.18
			20 to 30 litres	1501.19


Holders with polycarbonate rail clamps (for carts) rail setting

Evolu-Tri® Floor Stands

Standard Features

- Floor standing waste bag holders, single or double, adaptable to the different waste bag capacities (from 10 to 120 L).
- Made from steel wire 18/10 Ø 6 mm.

MODEL	CAPACITY	REF.
Single	10 to 20 litres	SSI 10/20
	20 to 30 litres	SSI 20/30
	50 litres	SSI 50
	110 litres	SSI 110
Double	10 to 20 litres	DSI 10/20
	20 to 30 litres	DSI 20/30



REF. SSI 10/20



REF. DSI 20/30

Evolu-Tri® Wall Holders

Standard Features

- Wall mounted waste bag holders (screws not included) adaptable to the different waste bag capacities (from 10 to 120 L).
- Made from steel wire 18/10 Ø 6 mm.

CAPACITY	REF.
10 to 20 litres	SMI 10/20
20 to 30 litres	SMI 20/30
30 litres	SMI 30
50 litres	SMI 50
50 to 120 litres	SMI 50/120



REF. SMI 20/30



REF. SMI 10/20



REF. SMI 50/120

Trash Bins

Standard Features

- Stainless body and lid
- Internal plastic bucket

CAPACITY	REF.
12 litres	309.50
30 litres	309.54



REF. 309.50



REF. 309.54

Opti-Soins® Linen Collection Cart

Ergonomic cart for collecting soiled linen in the room.

Standard Features

- Ergonomic cart for collecting dirty laundry, in compliance with prevention and hygiene rules.
- Stainless steel or epoxy construction (choice of 6 colours), entirely welded, can be nested in order to optimise storage.
- Foldable holder for 30L laundry basket (basket as an option).
- Foldable stainless steel kit for patient/resident bed toiletry (optional).
- Wheels Ø 75 mm with threadguards

Standard Colours



MODEL	DIM L X D X H	REF.
Stainless steel	550 x 510 x 990 mm	404.25
Epoxy*		404.26



REF. 404.26 + options




REF. 404.25 nested




Options

CAPACITY	REF.
Supplement for wheel with brakes Ø 75 mm	494.44



REF. 494.46



REF. 494.48



REF. 900.74



REF. 494.47

Accessories

	REF.
Foldable kit for bed toiletry (two holders for 4L basins, towel holder, basket for hygiene products)	494.46
Pair of basins	Stainless steel - 4L 494.47 Plastic - 6L 494.49
Removable stainless steel shelf	494.48
30L solid laundry basket - White colour	494.87
Holder for hand sanitiser	900.66
Vertical glove box holder	900.74
Waste bag holder - 20L	907.01

Opti-Tri Linen Bag Holders - Welded Version

Dedicated carts for the collection and sorting of soiled linen.

Standard Features

- Single-piece carts, composed of tubes Ø 25 mm and of a lower sheet shelf made of stainless steel
- Polyamide universal bag holder ring with rubber system for locking the bag. Dim. 370 x 270 mm - Max. weight on ring: 15 kg
- Moulded ABS lid with grasping handle equipped with a soft descent - pinned on a robust stainless steel hinge
- Wheels Ø 100 mm, mounted on ball bearings, with non-marking rubber treads and threadguards

Standard Lid Colours



REF. 420.02



REF. 420.05



REF. 420.09



REF. 420.03 + 420.86

REF. 420.63

CAPACITY	DIM L X W X H	WITHOUT LID	WITH LID	WITH LID & PEDAL
1 bag	490 x 525 x 1010 mm	420.01	420.02	420.03
2 bags	830 x 525 x 1010 mm	420.04	420.05	420.06
3 bags	1170 x 525 x 1010 mm	420.07	420.08	420.09
4 bags	1510 x 525 x 1010 mm	420.10	420.11	420.12
4 back-to-back bags	760 x 1085 x 990 mm	420.13	420.14	420.15

Options for Opti-Tri

	REF.
4 Bumpers	390.99
Supplement for 2 wheels with brakes Ø 100 mm	395.10
Waste bag holder with hermetic seal - Hermé-Tri® 70 L with adaptation for Opti-Tri® carts	420.86

Accessories for Opti-Tri

	REF.
RABC traceability kit for disinfecting the cart (storage basket for sprays, laundry bags + A4 sheet holder)	420.63
Sheet of adhesive identification labels for sorting the laundry	420.64

Laundry Bags & Washing Nets



REF. 497.01



REF. 497.02



REF. 497.03



REF. 497.04



REF. 497.15

Trolleys for Laundry Basket

Standard Features

- Epoxy or stainless steel trolleys for laundry basket (without basket), fully welded
- Suitable for 1 x 130L basket or 2 x 60L
- Ø 75 mm swivel castors

MODEL	DIM L X W X H	REF.
Fixed height - Epoxy	810 x 575 x 910 mm	408.01
Fixed height - Stainless steel		408.02
Variable height - Stainless steel	810 x 575 x 870 - 1270 mm	408.03



REF. 408.01 + options

Options

	REF.
Brake	494.44
Lower stainless steel shelf only for Ref. 408.01 and Ref. 408.02 trolleys	494.84

Laundry Baskets

Standard Features

- Plugable and perforated laundry baskets

CAPACITY	DIM L X W X H	REF.
60L	400 x 610 x 270 mm	494.85
130L	575 x 800 x 290 mm	494.86



REF. 494.85

REF. 494.86

Laundry Drying Rack

Standard Features

- Epoxy steel laundry drying rack, fully welded, with non-slip cover top
- Ø 75 mm swivel castors

DIM L X W X H	REF.
1000 x 500 x 900 mm	408.05



Options

	REF.
Brake	494.44
Lower epoxy shelf	494.89

Nursing Trolleys

Mobile carts ideal for safely transporting supplies for maintaining patient hygiene. Open or Secured (with doors) model options.

Standard Features

- Entirely welded steel structure with ergonomic handles - Epoxy painted (14 colours possible).
- "Open" model with lateral wire panels.
- "Secured" model with full panels and sliding doors in front, with key lock, in aluminium, epoxy painted.
- Height-adjustable central shelf.
- Swivel wheels Ø 125 mm, with bumpers, one wheel with brake.

Nursing trolley (408.32 et 408.33) equipped with:

- Upper and lower trays covered with ABS plastic tray.
- Sliding plastic drawer - Slides on 2 sides.
- 1 lateral plastic bin (345 x 130 x 130mm) + 1 lateral basket (400 x 200 x 150 mm).
- Sliding sorter 3 boxes : 1 for 15/20 patients or 2 for 20/30 patients.


Standard Colours



MODEL	CAPACITY	DIM L X W X H	REF.
Open (includes accessories)	For 15 to 20 patients	1025 x 570 x 1140 mm	408.32
	For 20 to 30 patients		408.33
Lockable sliding doors	For 15 to 20 patients	1025 x 570 x 1140 mm	408.36
	For 20 to 30 patients		408.37

Options (for open and secured trolleys)

CAPACITY	OPEN	LOCKED
Master key	-	494.99
Lateral rail	-	1700.22
Full side solid wall	494.17	-
Laptop holder	494.29	-
Additional cost for wheel	with brake	494.16
	Directional	494.45
Hermetically sealed waste bag holder with solid wall	494.12	494.06
Laundry bag support	494.13	-



Options + Accessories



Sliding Top Storage

	REF.
1 additional box	494.19
3 additional boxes	494.18

Only on upper tray for REF. 408.36 and 408.37



Additional Side Basket

	REF.
400 x 100 x 100 mm	494.21
400 x 200 x 150 mm	494.23



Side Plastic Basket with Hooks

REF. 494.26




Sliding Plastic Drawer

	REF.	
For open model	494.24	
For closed model	H 80 mm	494.94
	H 120 mm	494.88



Height Adjustable Arm for Laptop

	REF.
Universal laptop holder	494.71
VESA screen holder	494.72



Holder for:

	REF.
Glove box	494.14
Roll	494.20
Staffing sheets	494.15

Options + Accessories - Only for REF. 408.32 and 408.33



Sliding Shelf on Runner

REF. 494.25



Lockable Telescopic Drawer

With key lock

REF. 494.30



Disinfectant Holder

With clamp Ø 25 mm


REF. 1101.01

Options + Accessories - Only for REF. 408.36 and 408.37



Divider

	REF.
For intermediate shelf	494.92
For lower shelf	494.93



Shelf Cover

	15 TO 20 PATIENTS	20 TO 30 PATIENTS
Top	494.95	494.96
Low	494.97	494.98



Holder for:


	REF.
Sharps collector (with rail)	1101.97
A4 format document (with rail)	1101.96
Small bottle (with rail)	1600.69

Treatment Management

Index

+	Infection Prevention & Control	
	Mobile Treatment Unit	44
	PPE Distribution Unit	45
	Infection Prevention + Control	46

+	Paediatrics/Maternity	
	Cradles	47
	Examination Couch + Baby Changing Carts	48
	Cots	49



Mobile Treatment Unit

Care table pre-configured with options and accessories for efficient, organized and hygienic working.

Mobile treatment units- SMS® equipped with:

- Workstation (400 x 550 mm). Foldable shelf
- Storage shelf with galleries and hooks (410 x 170 mm)
- Storage bin for bottles (380 x 200 mm)
- 1 sharp container holder + 1 hand sanitiser holder + 1 glove box holder
- 2 stainless steel waste bag holders 20L + 1 stainless steel waste bag holder 30L*
- "Caregiver" model equipped in addition with a retractable low shelf (400x350 mm) and a polyethylene laundry basket

Unit for sample taking and injections - SPI® equipped with:

- Workstation (280 x 350 mm)
- 1 sharp container holder + 1 hand sanitiser holder
- + 1 glove box holder
- 1 stainless steel waste bag holder 20L



REF. SMS INF

REF. SMS AS

MODEL	DIM. L X W X H	REF.
Nurse	420 x 785 x 1555 mm	SMS INF
Caregiver		SMS AS



REF. SPI C

MODEL	DIM. L X W X H	REF.
Sample taking and Injections	420 x 785 x 1555 mm	SPI C

Option

Universal Attaching System

For treatment cart

REF. ACCRO SMS



REF. ACCRO SMS

PPE Distribution Unit

Storage and distribution solution for personal protective equipment (PPE) needed by caregivers to ensure safe care.

Mobile precaution units- UMP® equipped with:

- 2 storage baskets (380 x 315 x 100 mm)
- 1 shelf (350 x 280 mm)
- 1 universal holder for hand sanitiser
- 1 stainless steel waste bag holder 30L
- 3 coat hooks coat separation spacer
- 1 reading window for instructions

PPE Distribution Unit - UDEPI® equipped with:

- 3 holders for glove box or mask box
- 1 mask box holder (large size)*
- 1 waste bag dispenser with suspension hooks*
- 1 lateral hand-disinfectant holder
- 1 waste bag dispenser with suspension hooks*
- 1 sheet of identification stickers*

* not included in COMPACT model



REF. UMP C

REF. UMP COL C

MODEL	COLOURS	DIM. L X W X H	REF.
Mobile	White	391 x 507 x 1731 mm	UMP C
	Yellow		UMP COL C



REF. UDEPI PORT M1



REF. UDEPI MUR M1



REF. UDEPI COMPACT

MODEL	DIM. L X W X H	REF.
Mobile	600 x 507 x 1731 mm	UDEPI MOB M1
Wall Mounting	600 x 154 x 660 mm	UDEPI MUR M1
Door mounting		UDEPI PORT M1
COMPACT	520 x 118 x 490 mm	UDEPI COMPACT

Infection Control + Prevention

Storage and distribution solution for personal protective equipment (PPE) needed by caregivers to ensure safe care.

Standard Features (Mask Box Holders)

- Fixed holders for disposable mask & glove boxes created to facilitate the distribution of PPE (Personal Protective Equipment) required for the practical application of the preventative measures during treatments.
- Universal holder; single, double or triple; magnetic, wall and rail mounting

Standard Features (Mobile Sharp Container)

- Support composed of a plastic base 50mm
- Base sleeve in stainless steel tube 30 mm
- Guide handle in stainless steel tube adjustable height from 850 to 1250 mm
- Sharps container holder (removable) equipped with an adjustable elastic strap
- Optional waste bag holder available page 38



Mask Box Holders

MODEL	FIXING	DIM. L X W X H	REF.
Single	Wall	200 x 98 x 111 mm	1501.52
	On rail	200 x 98 x 133 mm	1501.51
Double	Wall	200 x 98 x 211 mm	1501.55
	On rail	200 x 98 x 233 mm	1501.54
Triple	Wall	200 x 98 x 311 mm	1501.58
	On rail	200 x 98 x 333 mm	1501.57

Glove Box Holders

MODEL	FIXING	DIM. L X W X H	REF.
Single	Wall	250 x 82 x 136 mm	1501.61
	On rail	250 x 82 x 148 mm	1501.60
Double	Wall	250 x 82 x 266 mm	1501.49
	On rail	250 x 82 x 278 mm	1501.36
Triple	Wall	250 x 82 x 397 mm	1501.47
	On rail	250 x 82 x 409 mm	1501.35

Mobile Sharps Container

MODEL	REF.
Sharps container holder	SPCT R

Cradles

Medical cradle with Trendelenburg position for safety, comfort and continuous monitoring of newborns. Mattress option available.

CE

Standard Features (Cradles with Fixed Height):

- Frame is entirely welded in stainless steel 18/10 or epoxy painted
- Shell in moulded Altuglass - Possibility of Trendelenburg to 15°
- Swivel wheels Ø 50 mm
- Maximum user weight : 9 kg

Standard Colours *



CE

Standard Features (Height Adjustable Cradles) (from 925 to 1225 mm):

- Support column powder coated aluminum, in white
- Powder coated tubular steel frame, equipped with tilting mechanism providing Trendelenburg position +12°
- Steel base with ABS plastic cover in white, equipped with 75mm plastic castors (white), all with lock
- Transparent altuglass bassinet, equipped with white mattress (foam + non-removable cover of PVC coated fabric)
- Inner basket dimensions : 660 x 410 x 220 mm
- Mattress dimensions: 620 x 360 x 40 mm

Standard Colours



MODEL	DIM. L X W X H	REF.
Stainless steel	465 x 865 x 960 mm	505.70
Epoxy *		505.71

MODEL	DIM. L X W X H	REF.
Standard	755 x 480 x 925 - 1225 mm	505.81
With small lateral basket		505.82
With large low basket		505.83
With small and large baskets		505.84

Fixed Height Options

	REF.
Foam mattress with waterproof vinyl fabric coverclass M1 Brake	506.44
Large basket	595.26
Additional cost for 2 wheels with brakes Ø 50 mm	595.25
Mother basket	595.29
Shelf	595.28

Height Adjustable Accessories

	REF.
Additional Altuglass bassinet	595.60
Additional mattress	595.61

Examination Couch

Examination and changing baby couch designed for comfortable use. Available in a range of upholstery and frame colour options.

Standard Features (Examination and Changing Baby Couch): CE

- Comfortable top with rim on 3 sides covered with flame retardant vinyl upholstery *
- Tubular frame Ø 25 mm, epoxy, large choice of colours **
- Adjustable pads

Upholstery Colours *



Frame Colours **



DIM. L X W X H	REF.
1000 x 550 x 800 mm	316.23



Baby Changing Cart

MODEL	DIM L X W X H	REF.
Baby changing top for mobile drawer blocks D 600	510 x 715 x 70 mm	1701.05*
Baby changing top for mobile drawer blocks D 400	600 x 620 x 70 mm	1700.62*

* Mattress on request



REF. 1701.05 + 1007.75 + baskets REF. REF. 1700.62 + 1007.22 + drawers

Full Eolis Modular range on page 58

Cots (Fixed Height)

Medical cot with adjustments for safety, comfort and continuous monitoring.

Standard Features: CE

- Cot beds are compliant with standards NF EN 716-1 and NF EN 716-2 of 05/2005 and compliant with the AFSSAPS decision of 30/07/2008
- Steel construction (frame, base and bars) - Epoxy finish
- Sliding side bars adjustable in height (2 positions) on stainless steel slides - Anti-pinch safety supports - Safety lock via a pivoting latch under the lying surface. Head and foot of the bed with welded sockets for IV pole. Bars spaced 59 mm apart (bars, head and foot of the bed)
- Welded mesh base - Lying surface with (or without) Trendelenburg by rack to 15°
- Wheels Ø 100 mm with 2 with brakes
- Maximum user weight: 20 kg

Standard Colours



2 SLIDING SIDES				4 SLIDING SIDES			
TRENDELENBURG	BASE DIM	DIM L X W X H	REF.	TRENDELENBURG	BASE DIM	DIM L X W X H	REF.
Without	1500 x 600 mm	740 x 1620 x 1650 mm	505.52	Without	1500 x 600 mm	740 x 1620 x 1610 mm	505.57
	1200 x 600 mm	740 x 1320 x 1650 mm	505.54		Without	1200 x 600 mm	740 x 1320 x 1610 mm
With	1500 x 600 mm	740 x 1620 x 1670 mm	505.60	With		1500 x 600 mm	740 x 1620 x 1560 mm
	1200 x 600 mm	740 x 1320 x 1670 mm	505.56		With	1200 x 600 mm	740 x 1320 x 1560 mm

Accessories

	FOR BASE 1500 X 600	FOR BASE 1200 X 600
① Foam mattress with waterproof polyurethane fabric cover class M1 CE	506.62	506.43
② IV pole Ø 16 mm - 2 curved stainless steel hooks CE		317.03
③ Urine bag holder with clamp		595.21
④ Oxygen bottle holder		595.22
⑤ Tray under the lying surface	595.18	595.17

Examination + Consultation

Index

+	Examination + Consultation	
	Pharmacy Cabinets	52
	Bio Waste Holder	53
	Food Trolleys	53
	Glide Height Adjustable Stools	54 -55
	Computer Trolley	56
	Accessories for Computer Trolleys	57



Pharmacy Cabinets

Standard Features

- Epoxy coated body frame - white colour
- Door opening with key lock. Strong 3 points lock
- Adjustable height shelves - Adjustable pads

Equipped as standard :

- 4 shelves :
- 1 top fixed shelf with 3 levels stand
- 1x toxic compartment with key lock on fixed shelf
- 2x adjustable height shelves

MODEL	DIM L X W X H	REF.
Single	625 x 425 x 1880 mm	309.30
Double	1000 x 425 x 1880 mm	308.41

Accessories

	SINGLE	DOUBLE
Additional shelf	594.02	594.11
Additional toxic compartment	398.51	
Stand with 3 levels	-	398.53



REF. 309.30

REF. 308.41

Wall Pharmacy Cabinets

Standard Features

- Epoxy coated body frame - white colour
- Door opening with key lock
- Adjustable height shelves

MODEL	DIM L X W X H	REF.
3 shelves	400 x 300 x 600 mm	308.57
2 shelves + toxic compartment		308.58



REF. 308.57

REF. 308.58

Instrument Cabinets

Standard Features

- Epoxy coated body frame - white colour
- 4 rigid plexiglass shelves can be removed or adjusted every 40 mm
- Plexiglass doors, thickness 5 mm. Interior angles perfectly smooth
- Safety lock
- Adjustable pads

MODEL	DIM L X W X H	REF.
1 door	500 x 420 x 1750 mm	309.31
2 doors	1000 x 420 x 1750 mm	309.32

Accessories

	1 DOOR	2 DOORS
Bottom in stainless steel	399.10	399.11
Additional shelf with supports	399.12	399.13



REF. 309.31

REF. 309.32

Bio Waste Holder

Standard Features

- The waste holders have been created for better waste management (Biowaste, organic waste, etc).
- A unique holder with separate bins for a waste sorting at the source

SUPPORT	DIM L X W X H	REF.
For bio waste holder	650 x 525 x 750 mm	493.66



REF. 493.66

REF. 403.67 + 493.66 + OPTIONS

Options

	SUPPORT	DIM L X W X H	REF.
①	Bio-bucket 25 litres with lid and handle green For bio waste holder		493.60
②	Waste bag holder	10 to 20 litres	390.65
		20 to 30 litres	390.78
③	Gastro basket	2/4 - 162 x 530 x 150 mm	493.64
		1/4 - 162 x 265 x 150 mm	493.67
④	Sliding shelf		493.63

Food Trolleys

Standard Features (Basin Holders)

- Solid and hygienic construction entirely argon welded, without hardware - 18/10 stainless steel quality (AISI 304)
- Stainless steel frame with 2 side push handles
- Reinforced and soundproofed stainless steel sheet trays - Equipped with a stainless steel rail guard on three sides on the lower tray(s)
- Swivel wheels Ø 100 mm or Ø 125 mm equipped with bumper rollers
- Max. loads : 60 kg



REF. 403.47



REF. 403.63



REF. 403.65

MODEL	DIM L X W X H	WHEELS	2 TRAYS	3 TRAYS
Stainless steel	600 x 400 x 970 mm	Ø 100 mm	403.47	403.49
	700 x 500 x 970 mm		403.51	403.63
	800 x 600 x 990 mm	Ø 125 mm	403.53	403.65
	1000 x 600 x 990 mm		403.55	403.67

Glide Height Adjustable Stools



Glide is a multi-purpose gas lift stool collection which combines freedom of movement with multiple configuration options, helping to create the optimum seating position for healthcare professionals in a variety of settings.

Standard Features

- Comprehensive model options provide comfort and support during prolonged periods of seated work
- Simple to operate height adjustment - via ring mechanism mounted on underside of seat
- Gravity assisted tilt – seat moves with users' body movement for added comfort
- Seat options: Upholstered seat or durable PU. Upholstered seat features moulded foam for added comfort and is available in a wide range of upholstery options and colours
- Durable 5-star base (black only)
- Choice of castors

Options (Castors)

- Standard castors with no brakes
- Brake loaded castors - castors brake under the additional weight of a user. Without a user castors are free moving
- Brake unloaded castors - castors are braked without a user. When a user sits on the stool brakes are released, castors are free moving

Options (Finishes)

- Upholstered seat models: Available in a wide range of upholstery options and colours
- PU seat black only
- Draughtsman stool - chrome ring only

Uncompromising strength and durability are the key drivers of this design. With a hand operated rise mechanism and upholstered or PU seats Glide is available with round stool, ergonomic saddle and draughtsman options. Castor options are available to suit user preference and for carpeted or hard floor surfaces.



Round Draughtsman
Upholstered Seat

MSGL03



Round Draughtsman
PU Seat

MSGL04



Saddle Stool
Upholstered Seat

MSGL05



Saddle Stool
PU Seat

MSGL06



Round Stool
Upholstered Seat

MSGL01



Round Stool
PU Seat

MSGL02



Saddle Draughtsman
Upholstered Seat

MSGL07



Saddle Draughtsman
PU Seat

MSGL08

Computer Trolley

Move your computer technology wherever it is needed in a hospital or clinic with our fixed or height adjustable wheeled computer workstations.

Standard Features

- Fixed or height-adjustable by gas spring (770-1060 mm) steel epoxy painted column.
- Upper tray with integrated handles (Dim. 550 x 550 mm) and compact resin base.
- A storage compartment and a mouse holder (right or left side) included under the tray.
- Securing of a laptop without tools
- Safety hatch for cables and transformer with a key lock.



HEIGHT	MODEL	DIM L X W X H	BASE REF.
Stainless steel	For a laptop	550 x 610 x 1050 mm	340.01
	With height adjustable VESA screen holder		340.06
Height adjustable	For a laptop	550 x 610 x 770 - 1060 mm	340.02
	For a laptop without a storage compartment		340.05
	With height-adjustable VESA screen holder		340.07

Accessories for Computer Trolley



Drawer + Key Lock

REF. 340.50



Sliding Shelf for Keyboard

REF. 340.51



Normalised Support for Accessories

REF. 340.52



Barcode Reader Holder

REF. 340.53



Keyboard Cover Protection

REF. 340.54



CPU Holder

REF. 340.55



A4 Files Holder

Must be ordered with REF. 340.52

REF. 1101.96



White Epoxy Wire Baskets

Must be ordered with REF. 340.52

	REF.
400 x 100 x 100 mm	494.21
400 x 200 x 150 mm	494.23



Multi Plug

	REF.
Standard	1101.50
With surge protection	1100.43



Secure Support

With key lock for batteries

REF. 1104.51



Universal Battery

Capacity 250W/h

REF. 1104.52



Key Locked Units

for nominative drawers or pill-dispensers

	REF.
2 levels	340.58
3 levels	340.59




Silicone Waterproof Computer Accessories

	REF.	
Mouse	1104.15	
Keyboard	Without Touchpad	1104.14
	With Touchpad	1104.16


Eolis® Modular Equipment + Equipment

Eolis® Modular Equipment


Modular hospital equipment with a complete list of accessories to tailor to your needs.



Treatment Trolley
Page 60




Modular Cart
600 x 400
Page 66



Modular Cart
Compact
Page 74




Multicare Trolley
Page 80




Mobile Cabinet
Page 82




Transfer Trolley
Page 88



Storage Shelving
Page 92




Picking Station
Page 96




Mobile Workstation
Page 97



Drawer Block
Page 102



Wall Cabinet
Page 104



Accessories
Page 105

Eolis® Treatment Trolley 600x400

The modular trolley provides all the options and accessories to create a trolley specific to your needs.

Standard Features

- Modular concept with aluminium epoxy coated frame, to be equipped with ISO 600x400 accessories with slides (drawers, baskets)
- ABS/PMMA antimicrobial shelves (beige colour), with raised edges or turned down edges
- Polyamide Ø 100 mm swivel wheels, grey non-marking rubber, stainless steel ball bearings, integrated threadguards and wheel buffers.

Standard Colours



Treatment Trolley 600x400
2 Raised edge shelves

REF. 1003.01



Treatment Trolley 600x400
3 Turned down edge shelves

REF. 1003.04

Treatment Trolley 600x400

Standard Features:

- 2 raised edge shelves
- Lateral push handle
- 600 x 400 drawers with handle: 1x1 level (H 75mm) + 1 x 2 levels (H 150mm)
- Adjustable height bridge equipped with : 4 clearbox tilt bins + 1 liquid soap holder + 1 rail for bridge + 1 universal sharps container holder + 1 triple glove boxholder
- 2 wheels (Ø 100 mm) with front brakes

Ref. 1003.01T01

Treatment Trolley 600x400

Standard Features:

- 3 Raised edge shelves
- 600 x 400 drawer with handle: 1 x 1 level (H 75mm)
- Adjustable height bridge equipped with: 1 shelf with hooks + 1 rail for bridge + 1 plastic box + 1 glove box holder
- 2 wheels (Ø 100 mm) with with front brakes

Ref. 1003.04T04



Treatment Trolley 600x400

Standard Features:

- 3 Raised edge shelves
- 600 x 400 drawer with handle: 1 x 2 levels (H 150mm)
- Fixed arm with secured tray for laptop
- 2 wheels (Ø 100 mm) with front brakes

Ref. 1003.02T02



Treatment Trolley 600x400


Standard Features:

- 2 Turned down edge shelves
- Lateral push handle
- 600 x 400 drawer with handle: 1 secured x 2 levels (H 150mm) 1 x 2 levels (H 150mm)
- Upper and lower guard rails for trays
- 2 wheels (Ø 100 mm) with front brakes


Ref. 1003.03T03

Base Unit Options


MODEL	2 SHELVES	3 SHELVES
with raised edges shelves	1003.01	1003.02
with turned down edges shelves	1003.03	1003.04



Raised Edge Shelves



Turned Down Edge Shelves



DIM. SHELVES	700 x 450 mm
RAISED EDGES	H. 20 mm on 3 sides H. 10 mm in-front
EMPTY WEIGHT	2 shelves: 19 kg 3 shelves: 24 kg
MAX. LOAD	30 kg

Design your modular eolis® trolley
see pages 64 - 65 for full list of
accessories

Eolis® Treatment Trolley Compact

The modular trolley provides all the options and accessories to create a cart specific to your needs.

Standard Features

- Modular conception with aluminium frame epoxy coated to be equipped with ISO **compact** accessories with slides (drawers, baskets)
- ABS/PMMA antimicrobial shelves (beige colour), with raised edges or with turned down edges
- Polyamide Ø 100 mm swivel wheels, grey non-marking rubber, stainless steel ball bearings, integrated threadguards and wheel buffers.

Standard Colours



Treatment Trolley Compact

Standard Features:

- 3 Turned down edge shelves
- Compact drawer with handle 1 x 1 level (H 50mm)
- Adjustable height bridge equipped with : 1 shelf + 1 rail for bridge + 1 plastic box + 1 glove box holder + 1 liquid soap holder
- 2 wheels (Ø 100 mm) with front brakes

REF. 1003.08T08

Treatment Trolley Compact

Standard Features:

- 3 Raised edge shelves
- Lateral push handle
- Compact drawer with handle: 1 x 2 levels (H 110mm)
- 1 Telescopic shelf
- 1 VESA screen holder with short pivot mount
- 2 wheels (Ø 100 mm) with front brakes

REF. 1003.05T07



Treatment Trolley Compact
2 Raised Edge Shelves

REF. 1003.05



Treatment Trolley Compact
3 Turned down edge shelves

REF. 1003.08



Treatment Trolley Compact

Standard Features:

- 2 Raised edge shelves
- Lateral push handle
- Compact drawer with handle: 1 x 1 level (H 50mm) 1 x 2 levels (H 110mm)
- 1 Fold away lateral shelf
- 2 wheels (Ø 100 mm) with front brakes

REF. 1003.05T05



Treatment Trolley Compact

Standard Features:

- 3 Raised edge shelves
- Lateral push handle
- Compact drawer with handle: 1 x 2 levels (H 110mm)

REF. 1003.06T06

Base Unit Options


MODEL	2 SHELVES	3 SHELVES
with raised edges shelves	1003.01	1003.02
with turned down edges shelves	1003.03	1003.04



Raised Edge Shelves



Turned Down Edge Shelves



DIM. SHELVES	540 x 450 mm
RAISED EDGES	H. 20 mm on 3 sides H. 10 mm in-front
EMPTY WEIGHT	2 shelves: 16 kg 3 shelves: 20.4 kg
MAX. LOAD	30 kg

Design your modular eolis® compact cart see pages 64 - 65 for full list of accessories

Eolis® - Design your trolley

600 x 400 + Compact

Standard Colours



1 Choose your base (empty)



MODEL	2 SHELVES	3 SHELVES
with raised edge shelves	1003.01	1003.02
with turned down edges shelves	1003.03	1003.04

MODEL	2 SHELVES	3 SHELVES
with raised edge shelves	1003.05	1003.06
with turned down edges shelves	1003.07	1003.08

2 Drawers (one pair of slides included)

More accessories for drawers available on pages 106, 110 & 111



Drawers with pair of slides

FORMAT	MODEL	HEIGHT	STANDARD	LOCKABLE
600x400	1 level	75 mm	1300.20	1300.29
	2 levels	150 mm	1300.21	1300.30
	3 levels	225 mm	1300.22	1300.31
COMPACT (345 x 440 mm)	1 level	50 mm	1300.23	-
	2 levels	110 mm	1300.24	-
	3 levels	170 mm	1300.25	-

Compartments (CPT) for drawers

MODEL	600X400			COMPACT		
	3 CPT	6 CPT	12 CPT	3 CPT	6 CPT	12 CPT
1 level	1600.71	1600.73	1600.75	1501.70	1501.71	1501.73
2 levels	1600.81	1600.83	1600.85	1501.75	1501.76	1501.78
3 levels	1600.91	1600.93	1600.95	1501.80	1501.81	1501.83

3 Options



Side Push Handle
REF. 1300.01


Side Rail
Position available: up/down - left/right
REF. 1300.02

Folding Side Shelf
Dim. 420mm x 380mm
REF. 1300.03

Telescopic Front Shelf
For 600 x 400 trolley REF. 1300.27
For compact trolley REF. 1300.28

Guard Rail for Shelf (3 sides)

	600X400	COMPACT
for upper, medium or lower shelf	1300.06	1300.09
upper guard rail with bottle holder	1300.05	1300.08



Additional cost for:

2 wheels Ø 100 mm with brake	1300.40
4 wheels Ø 125 mm	1300.41
2 wheels Ø 125 mm with brake	1300.42



4 Accessories

IV Pole

HOOKS	PLASTIC	STAINLESS STEEL
2	317.01	317.03
4	317.02	317.04

Clamp needed Ø 35 mm - Ref. 392.92

Liquid Soap Holder

with clamp for frame	1300.19
for rail	1600.69

Glove Box Holder

single	1100.74
double	1501.36
triple	1501.35

Sharps container holder

with clamp for frame	390.72
for rail	1101.97
sharps container 1L	920.01
sharps container 1.8L	920.01

Side Plastic Boxes

DIM. L X W	H.55MM	H.130MM
345 x 90 mm	1500.32	1500.33
345 x 130 mm	1500.34	1500.35

Side Wire Baskets

400 x 100 x H. 100 mm	494.21
400 x 200 x H. 150 mm	494.23

Refuse Bag Holder
with Ø 35 mm clamp for frame

10 to 20 litres	392.84
20 to 30 litres	390.79


Simple Waste Bin
with removable lid & holder

10 litres	1501.24
15 litres	1501.25

Modular Equipment / Treatment Trolley Accessories

5 Bridge

① Height-adjustable bridge
REF. 1300.10



Height-adjustable accessories for bridge:

	600X400	COMPACT
② rail for bridge	1300.11	1300.15
③ shelf	1300.12	1300.16
shelf with hooks	1300.13	1300.17
④ liquid soap holder	1101.01	
⑤ IV pole for bridge	1100.79	

⑥ **Tilt clearboxes**

6 bins	1500.16
5 bins	1500.17
4 bins	1500.18
3 bins	1500.19

Bridge rail needed - REF. 1300.11/15

6 Computing + Medical Files

Height-Adjustable VESA Screen Holder
REF. 1300.35

Load needed:
600x400 - REF. 1300.33
COMPACT - REF. 1300.34

Height-Adjustable Fixed Arm with Secured Tray for Laptop
REF. 494.29

Height-Adjustable Reclining Arm

with secured tray for laptop	1300.36
with VESA holder for screen	1300.37

Medical File Holders (A4) Patient File Holder
REF. 1101.96

Lateral rail needed - REF. 1300.02

Eolis® Modular Cart 600x400

Fully customizable modular carts with accessories (drawers, bins, trays) in ISO 600x400 format.

Standard Features

- Modular concept with internal ABS ladders, to be equipped with COMPACT ISO 600 x 400 accessories
- Anodized aluminium & Epoxy steel frame
- Lateral/Rear ABS panels (8 colours available)
- ABS all-around bumper (grey color)
- ABS/PMMA antimicrobial worktop with lateral rims (beige colour)
- Closing by joined drawers or with extractable roller shutter (top > bottom)
- Optional central locking
- Equipped as standard with: height-adjustable push handlebar & 2 standard side rails (1 on each side)
- Polyamide Ø 125 mm swivel wheels (2 with brakes), grey non-marking rubber, stainless steel ball bearing & integrated threadguards

Standard Colours



Treatment Cart with Drawers

Standard Features:

- Central locking with code & key lock
- 600 x 400 drawers with handle: 1 x 1 level + 3 x 2 levels + 1 x 3 levels
- Double waste bag holder



REF. 1006.01T03

Treatment Cart with Drawers

Standard Features:

- Central locking with code & key lock
- 600 x 400 drawers with handle: 3 x 1 level + 2 x 2 levels + 1 x 3 levels
- Sharp Container + Double waste bag holder
- Folding lateral shelf



REF 1006.01T06



Treatment Cart with Drawers

Standard Features:

- Central locking with key lock
- 600x400 drawers with handle & label holders : 1 x 1 level + 3 x 2 levels + 1 x 3 levels
Compartments in 2 drawers (1 level & 2 levels)
- Single waste bin + 1 side basket in epoxy + 3 cases bottle holder + 1 sharp container holder
- Standard Sticker: TREATMENT

REF. 1006.01T01

General Cart with Drawers

Standard Features:

- 600x400 drawers with handle & label holders: 1 x 1 level + 3 x 2 levels + 1 x 3 levels
- Standard Sticker: TREATMENT

REF. 1006.01G01



Treatment Cart with Roller Shutter

Standard Features:

- Extractable roller shutter with key lock
- 5 trays 600 x 400 equipped with 15 nameable patient bins with handles and separations: 3 x 1 level + 12 x 2 levels
- Standard Sticker: TREATMENT

REF. 1006.11T04

Treatment Cart with Roller Shutter


Standard Features:

- Extractable roller shutter with key lock
- 600 x 400 mesh baskets (separations not included): 4 x 2 levels
- Standard Sticker: TREATMENT

REF. 1003.11T02

Base Unit Options

MODEL	CAPACITY	REF.
for drawers	10 levels	1006.01
with roller shutter	9 levels	1006.11



DIM. WORKTOP:
for drawers 705 x 415 mm
with roller shutter 705 x 480 mm

EMPTY WEIGHT: 29 kg

* for drawers
** with roller shutter
*** L. 770 mm without push handle

Design your modular eolis® cart
see pages 76 - 79 for full list of
accessories

Eolis® Modular Cart 600x400



Medication Cart - 24 Patients

Standard Features:
 Extractable roller shutter with code + key lock
 4 x medication trays 600 x 400 equipped with 24 patient bins with handle & label holders (H 1 level)
 600 x 400 drawers with handle: 1 x 1 level + 1 x 2 levels 2
 stainless steel 20L refuse bag holders with clamp for rail

Blue

REF. 1006.11M03



Medication Cart - 24 Patients

Standard Features:
 Extractable roller shutter with code + key lock
 3 x medication trays 600 x 400 equipped with 21 nameable pill dispensers 1/7
 600 x 400 drawers with handle: 3 x 2 levels
 Standard sticker: MEDICATION

REF. 1006.11T06



Medication Cart - 40 Patients

Standard Features:
 Central locking with code & key lock
 5 x medication drawers 600 x 400 (H 1 Level)
 equipped with 40 nameable pill dispensers 1/8 for drawers
 600 x 400 drawers with handle: 1 x 2 levels + 1 x 3 levels

REF. 1006.01M01



Medication Cart - 24 Patients

Standard Features:
 Extractable roller shutter with code + key lock
 3 x medication trays 600 x 400 equipped with 24 nameable pill dispensers 1/8
 600 x 400 drawers with handle: 1 x 1 level + 2 x 2 levels
 1 x 3 levels
 2 stainless steel 20L refuse bag holders with clamp for rail
 Height adjustable universal swivel & secured computer tray

Blue

REF. 1006.11M04



Medication Cart - 16 Patients

Standard Features:
 Extractable roller shutter with code + key lock
 2 x medication trays 600 x 400 equipped with 16 pill nameable dispensers 1/8
 600 x 400 drawers with handle: 2 x 2 levels 1 x 3 levels
 1 stainless steel 20L refuse bag holders with clamp for rail
 Height adjustable universal swivel & secured computer tray (without computer)

REF. 1006.11M02



Medication Cart - 40 Patients

Standard Features:
 Extractable roller shutter with key lock
 3 x medication trays 600 x 400 equipped with 24 nameable pill dispensers 1/8
 1 cassette H 2 levels equipped with 16 nameable pill dispensers 1/8
 1 mesh basket (H 3 levels)
 Standard sticker: MEDICATION

REF. 1006.11T07



Plaster Cart

Standard Features:
 600 x 400 drawers with handle: 1 x 1 level + 3 x 2 levels + 1 x 3 levels
 Height adjustable bridge equipped with jersey rolls holder
 5 compartments (30/50/70/100 & 150mm)
 Lateral basket holder with basket

REF. 1006.01P01

Design your modular eolis® cart
 see pages 76 - 79 for full list of accessories



Eolis® Anaesthesia Cart 600x400

Eolis® 600x400 modular anesthesia cart, pre-configured as standard.

Standard Features

- Modular concept with internal ABS ladders, to be equipped with COMPACT ISO 600 x 400 accessories
- Anodized aluminium & Epoxy steel frame
- Lateral/Rear ABS panels (8 colours available)
- ABS all-around bumper (grey colour)
- ABS/PMMA antimicrobial worktop with lateral rims (beige colour)
- Polyamide Ø 125 mm swivel wheels (2 with brake), grey non-marking rubber, stainless steel ball bearing & integrated threadguards

create a cart
tailored to your
specific needs



Anaesthesia Cart

Standard Features:

Central locking with key lock

600 x 400 drawers with handle and label holders:

2 x 1 level + 1 x 2 levels + 2 x 3 levels

2 level drawers equipped with compartments (12 cases)

Adjustable height bridge equipped with: 1 rail for bridge,

epoxy steel basket, line of 4 boxes

Single waste bin + sharp container holder + catheter

holder - 1 case

Standard sticker: ANAESTHESIA

REF. 1006.01A02



Anaesthesia Cart

Standard Features:

Central locking with code + key lock

600 x 400 drawers with handle

3 x 1 level + 2 x 2 levels 1 x 3 levels

Adjustable height bridge equipped with: 1 x line of 5 boxes + 1

line of 4 boxes

Catheter holder - 1 case + 2 stainless steel 20L refuse bag

holders with clamp

REF. 1006.01A05

Eolis® Emergency Cart

Eolis® 600x400 modular emergency cart, pre-configured as standard.

Standard Features

- Central locking with seal lock (easy cutting)
- 600 x 400 drawers with handle and label holders: 1 x 1 level + 3 x 2 levels + 1x3 levels (suggestion of drawer composition)
- Height adjustable defibrillator tray with straps (360° rotating)
- Height adjustable defibrillator tray with straps (360° rotating)
- Height adjustable IV pole with 2 curved plastic hooks
- Cardiac Board
- Gas bottle holder
- Standard sticker: EMERGENCY



Eolis® Emergency Cart 600x400
600x400 drawers

REF. 1006.01E01



Eolis® Emergency Cart Compact
Compact drawers

REF. 1005.11E01

For full list of Eolis® carts and customisations see page 76 - 79

Options & Accessories

- (A) Defibrillator Tray
1500.75
- (B) IV Pole with 2 plastic hooks
1500.23
- (C) Cardiac board with handle
1600.25
- (D) Gas bottle holder (Ø 150mm max)
1100.42
- (E) Clear top surface
1600.63



Holder for suction unit
(rail included)

REF. 1103.88




Power ramp with 5 sockets & switch
(rail included)

REF. 1101.50



Individual seal lock
for drawer

REF. 1600.09
Pack of 100 numbered seals - Ref
1106.21



Catheter holder for rail

1 case REF. 1101.94
2 cases REF. 1101.92
3 cases REF. 1101.93

Modular Cart Eolis® Compact

Fully customisable modular carts with accessories (drawers, bins, trays) in COMPACT format.

Standard Features

- Modular concept with internal ABS ladders, to be equipped with COMPACT accessories
- Anodized aluminium & Epoxy steel frame Lateral/Rear ABS panels (8 colours available)
- ABS all-around bumper (grey colour)
- ABS/PMMA antimicrobial worktop with lateral rims (beige colour)
- Closing by joined drawers or with extractable roller shutter (bottom > top), optional central locking
- Height-adjustable push handlebar & 2 standard side rails (1 on each side) - Polyamide Ø 125 mm swivel wheels (2 with brake), grey non-marking rubber, stainless steel ball bearing & integrated threadguards.

Standard Colours



Treatment cart with roller shutter
Standard Features:
Extractable roller shutter with key lock
COMPACT baskets with handle
2 x 1 level + 2 x 2 levels + 2 x 3 levels

REF. 1005.02T01

Medication cart 36 patients
Standard Features:
Extractable roller shutter with code & key lock
6 COMPACT trays equipped with 36 nameable pill dispensers 1/8
COMPACT baskets with handle: 2 x 2 levels + 1 x 3 levels

REF. 1005.02M01



Treatment cart with drawers
Standard Features:
Central locking with key lock
COMPACT drawers with handle and label holders
3x1 level + 2 x 2 levels + 1 x 3 levels
Sharps container holder
2 x stainless steel 20L refuse bag holders with clamp

REF. 1005.11T01

General cart with drawers
Standard Features:
COMPACT drawers with handle & label holders:
3 x 1 level + 2 x 2 levels + 1 x 3 levels

REF. 1005.11G01



Medical File Cart, Single, 24 Cases
Standard Features:
Extractable roller shutter with key lock
2 x files holders with 12 cases - L. 32 mm (removable separations)
Folding lateral shelf

REF. 1005.03F01




Linen cart - Double
Standard Features:
Extractable roller shutter with key lock
COMPACT baskets with handle: 2 x 2 levels
4 x COMPACT shelves

REF. 1005.05L01

Base unit size options

MODEL (EMPTY)	COLUMN	CAPACITY	REF.
for drawers		10 levels	1005.11
		16 levels	1005.01
single		14 levels	1005.02
		12 levels	1005.03
with roller shutter		2 x 16 levels	1005.04
		2 x 14 levels	1005.05
		2 x 12 levels	1005.06



	DIM. WORKTOP	EMPTY WEIGHT	
single	530 x 420 mm	28 kg	* for drawers
double	1000 x 420 mm	45 kg	** with roller shutter
			*** L. 770 mm without push handle

Design your modular Eolis® compact cart see pages 76 - 79 for full list of accessories

Eolis® - Design your trolley

600 x 400 + Compact

Standard Colours



1 Choose your base (empty)



600x400 Eolis® cart

for drawers	10 levels	1006.01
with roller shutter	9 levels	1006.11

COMPACT Eolis® cart

		SINGLE	DOUBLE
for drawers	10 levels	1005.11	-
	16 levels	1005.01	1005.04
with roller shutter	14 levels	1005.02	1005.05
	12 levels	1005.03	1005.06

2 Central locking



	600x400		COMPACT		
	DRAWER	ROLLER SHUTTER	DRAWER	ROLLER SHUTTER	
				SINGLE	DOUBLE
with key lock	1600.01	1600.11	1600.01	1501.01	1501.02
with seal lock	1600.02	-	1600.02	-	-
with code & key lock	1600.05	1600.14	1600.05	1501.03	1501.04

Master key

for key lock (600x400)	1600.19
for code + key lock	1501.10
for key lock (COMPACT)	1102.64

Batch of seals

x 100 units	1101.47
x 50 units	1600.64

3 Drawers, Baskets + Trays

Choose your drawer/basket/tray

Combine with accessories

Drawers 600 x 400



	HEIGHT	STANDARD	LOCKABLE*
1 level	75 mm	1600.30	1600.33
2 levels	150 mm	1600.31	1600.34
3 levels	225 mm	1600.32	1600.35

*master key for key lock - Ref. 1101.87

Compartments (CPT) for drawers 600 x 400



	2 CPT	3 CPT	4 CPT	6 CPT	8 CPT	12 CPT	18 CPT	24 CPT
1 level	1600.70	1600.71	1600.72	1600.73	1600.74	1600.75	1600.76	1600.77
2 levels	1600.80	1600.81	1600.82	1600.83	1600.84	1600.85	1600.86	1600.87
3 levels	1600.90	1600.91	1600.92	1600.93	1600.94	1600.95	1600.96	1600.97

Choose your basket/drawer/tray

Combine with accessories

Baskets ISO 600 x 400



	HEIGHT	MESHED	PLAIN
1 level	52 mm	1107.01	
2 levels	110 mm	1107.04	1107.02
3 levels	200 mm	1107.05	1107.03

Add pair of end stops - Ref. 1107.43

Separations for baskets ISO 600 x 400



	WIDTH	LENGTH
1 level	1107.10	1107.11
2 levels	1107.12	1107.13
3 levels	1107.14	1107.15

Mesh baskets: add retention clip for separations - Ref. 1107.41

Label holder for baskets



	VERTICAL	HORIZONTAL
clamp (for label holder)	1107.55	1107.56
clear label holder	1107.59	1107.58
white PVC plate (x50)	1106.19	

Drawers + Baskets COMPACT



	HEIGHT	DRAWERS*	BASKETS**
1 level	75 mm	1500.47	1500.50
2 levels	150 mm	1500.48	1500.51
3 levels	225 mm	1500.49	1500.52

Compartments (CPT) for drawers 600 x 400



	FOR DRAWERS*					FOR BASKETS**			
	3 CPT	6 CPT	9 CPT	12 CPT	16 CPT	6 CPT	8 CPT	12 CPT	20 CPT
1 level	1501.70	1501.71	1501.72	1501.73	1501.74	-	-	-	1500.59
2 levels	1501.75	1501.76	1501.77	1501.78	1501.79	1500.63	1500.64	-	1500.60
3 levels	1501.80	1501.81	1501.82	1501.83	1501.84	1500.68	1500.69	1500.61	-

Trays



REF. 1100.26

for patient bins & pill dispensers

600x400	1100.26
COMPACT**	1500.43

* for cart COMPACT with drawers

**for cart COMPACT with roller shutter

Trays with Pill Dispenser



REF. 1103.37

equipped with 4 separations + lid / pill dispenser

	EQUIPPED WITH	
600x400	8 pills dispenser 1/8 - H. 42 mm	1103.37
	8 pills dispenser 1/8 - H. 66 mm	1103.38
	7 pills dispenser 1/7 - H. 55 mm	1103.41
	6 pills dispenser 1/8	1500.44
COMPACT	5 pills dispenser 1/7	1500.45

600 x 400 Trays with Patient Bins



REF. 1100.26OP4

equipped with 1 separation / bin

	1 LEVEL	2 LEVELS
6 patient bins	1100.26 OP3	1100.26 OP6
4 patient bins	1100.26 OP4	1100.26 OP7
3 patient bins	1100.26 OP5	1100.26 OP8

4 Options



Sliding Side shelf

REF. 1600.43

only compatible with cart for drawers



Folding Side shelf

REF. 1500.01



Telescopic front shelf

for 600x400 eolis® cart **1600.27**

for COMPACT eolis® cart **1500.76**

only compatible with cart for drawers



Guard Rail for Top

standard **1600.40**

with bottle holder **1600.41**

Eolis® - Design your trolley

600 x 400 + Compact

5 Accessories



3 Cases Bottle Holder

REF. 392.28



Liquid Soap Holder

with clamp	1101.02
for rail	1600.69



Glove Box Holder

single	1100.74
double	1501.36
triple	1501.35



Sharps Container Holder

sharp container holder	1101.97
sharp box 1L	920.01
sharp box 1.8L	920.01



Side Plastic Boxes

DIM. L X W	H.55MM	H.130MM
345 x 90 mm	1500.32	1500.33
345 x 130 mm	1500.34	1500.35



Side Wire Baskets

400 x 100 x H. 100 mm	494.21
400 x 200 x H. 150 mm	494.23



Refuse Bag Holder

with clamp for sidel rail

	20L	30L
Single	1501.22	1501.23
Double	1501.18	1501.19



Waste Bin

with removable lid & support

	10L	15L
Single	1501.24	1501.25
Double	1501.26	1501.28



Height adjustable IV pole with 2 Plastic Hooks

REF. 1500.23



Stickers

standard stickers: MEDICATION, TREATMENT, ANAESTHESIA	1600.44
customized stickers (max. 14 characters)	1600.45



Rail for cart

Side	1500.03
Back (only for cart eolis® 600x400)	1600.67



Bottle Holder

REF. 1500.25

Cup Dispenser with clamp for rail

REF. 1500.26

Ergonomic Push Handle

to replace the standard

REF. 1500.05

Compatible with eolis® 600x400 and COMPACT carts, with drawers and roller shutter (specify when ordering)



Additional cost for :

4 double-roller wheels Ø 125 mm with 2 brakes	1102.47
4 wheels Ø 160 mm with 2 brakes	1600.49
4 antistatic wheels Ø 125 mm with 2 brakes	1600.46
1 antistatic wheel Ø 125 mm with brake	1600.56
1 directional wheel Ø 125 mm	1100.77



6 Bridge

① **Height-adjustable bridge**

REF. 1500.11

Height-adjustable accessories for bridge:

	600X400	COMPACT
② rail	1600.22	1500.12
③ shelf	1600.23	1500.14
④ liquid soap holder	1101.01	
⑤ IV pole	1100.79	



⑥ **Tilt clearboxes**

6 bins	1500.16
5 bins	1500.17
4 bins	1500.18
3 bins	1500.19

7 Computing + Medical Files



Height-adjustable reclining arm with secured tray for laptop

REF. 1600.61



Height-adjustable reclining arm with VESA holder for screen/PC panel

REF. 1600.62



Height-adjustable fixed arm with secured tray for laptop

REF. 1500.81



Antimicrobial VESA support + add Ø 30 mm pole - Ref. 1500.80

with fixed short pivot	1103.67
with swivel short pivot	1103.55




Antimicrobial touchpad support + add VESA support (see above)

for 8" to 9" touchpad	1103.73
for 9" to 11" touchpad	1103.74




Ø 30 mm pole for antimicrobial support angled or straight model (be specified when ordering)

REF. 1500.80



Patient File Holder

	1 cpt	1500.29
Plastic holder - A4 size	2 cpt	1500.28
	3 cpt	1500.27
Epoxy steel holder - 328 x 165 x 245 mm	1101.95	
Epoxy steel holder - A4 size	1101.96	



A4 medical files holder for cart Eolis® COMPACT
Height: 6 levels

single - 12 cases	1500.70
double - 20 cases	1500.71



Medical files holder for cart Eolis® 600x400
Capacity: 18 folders

A4 (H. 5 levels)	1102.01
Xray (H. 7 levels)	1102.04

Multicare Trolley Eolis® 600 x 400

Fully customisable modular carts with accessories (drawers, bins, trays) in ISO 600x400 format.

Standard Features

- Modular concept with internal ABS ladders, to be equipped with ISO 600x400 accessories
- Machine-welded steel body closed on 5 sides, epoxy coated (8 colours available)
- Closing by drawers or swing doors
- Optional central locking
- ABS/PMMA antimicrobial worktop with lateral rims (beige)
- Polyamide Ø 125 mm swivel wheels (2 with brake), grey non-marking rubber, stainless steel ball bearing & integrated threadguards - wheel buffers included

Standard Colours



Multicare Trolley with Drawers

Capacity: 12 levels

REF. 1006.21 + OPTIONS




Multicare Trolley with Swing Doors

Capacity: 12 levels

REF. 1007.36 + OPTIONS

Base unit size options

CAPACITY	FOR DRAWERS	WITH SWING DOORS
12 levels	1006.21	1007.36
14 levels	1006.22	1007.37
18 levels	1006.24	1007.39



DIM. WORKTOP: 595 x 400 mm
EMPTY WEIGHT: 32 kg (for drawers) / 36 kg (with swing doors)

1 Base Unit (empty)



Eolis® 600x400 multicare trolley

CAPACITY	FOR DRAWERS	WITH SWING DOORS
12 levels	1006.21	1007.36
14 levels	1006.22	1007.37
18 levels	1006.24	1007.39

2 Central Locking



REF. 1700.01/05



REF. 1700.03/06

Central Locking with Lock

	FOR DRAWERS	WITH SWING DOORS
with key lock	1700.01	1700.05
with code & key lock	1700.03	1700.06

master key: for key lock - REF. 1600.19 / for code + key lock - REF. 1501.10

3 Drawers, Baskets + Trays



REF. 1600.32



Baskets ISO 600 x 400

	HEIGHT	MESHED	STANDARD
1 level	52 mm	1107.01	
2 levels	110 mm	1107.04	1107.02
3 levels	200 mm	1107.05	1107.03

Drawers 600 x 400

	HEIGHT	STANDARD	LOCKABLE*
1 level	75 mm	1600.30	1600.33
2 levels	150 mm	1600.31	1600.34
3 levels	225 mm	1600.32	1600.35

*master key for key lock - REF. 1101.87




REF. 1701.06

Trays 600 x 400

	HEIGHT	
for patient bins or pills dispensers		1100.26
for linen (with backrest)	H. 40 mm / 2 levels	1701.06
	H. 250 mm / 4 levels	1700.39

Add pair of end stops - REF. 1107.43

4 Options



Side Push Handlebar

REF. 1700.21



Side Rail

REF. 1700.22



Folding Side Shelf

REF. 1700.24



Additional cost for:

4 double-roller wheels Ø 125 mm with 2 brakes	1102.47
1 directional wheel Ø 125 mm	1100.77



Liquid Soap Holder with Clamp

REF. 1101.02



Height Adjustable bridge

REF. 1700.23

Find accessories for bridge p.65



Height Adjustable Reclining Arm

with secured tray for laptop 1700.46

with VESA holder for screen 1700.47

More accessories for drawers, baskets & trays on page 106 - 108
more accessories on page 84 - 85

Eolis® - Design your mobile cabinet

600 x 400 Depth 400

The modular cabinet provides all the options and accessories to create a cart specific to your needs.

Standard Features

- Modular concept with internal ABS ladders, to be equipped with ISO 600x400 accessories
- Welded steel body closed on 5 sides with roof, epoxy coated (8 colours available)
- Closing by extractable roller shutter (top > bottom) or drawers
- Optional central locking
- Horizontal push handlebar included on the left side (removable on demand)
- Optional vertical full-height handlebars
- Polyamide Ø 125 mm swivel wheels (2 with brakes), grey non-marking rubber, stainless steel ball bearing & integrated threadguards

Standard Colours



Drawer Cabinet - Depth 400

Central locking with key lock
600 x 400 drawers with handle: 4 x 1 level + 4 x 2 levels + 2 x 3 levels
Push handle included (removable on request)

REF. 1007.02C01



Roller Shutter Cabinet - Depth 400

Capacity: 20 levels including 7 top inclined sides (11°)

REF. 1007.50 + OPTIONS

Eolis® - Design your mobile cabinet

600 x 400 Depth 600

The modular cabinet provides all the options and accessories to create a cart specific to your needs.



Open Front Cabinet - Depth 600

Capacity: 21 levels

REF. 1007.04 + OPTIONS



Multicare Trolley with Swing Doors

Capacity: 2 x 17 levels

REF. 1007.50 + OPTIONS

Base unit size options

MODEL	ROLLER SHUTTER CABINETS					DRAWER CABINETS		
	DIM. L* X W X H	CAPACITY	REF.	THIN LADDERS FOR PILLS DISPENSERS	REF.	DIM. L* X W X H	CAPACITY	REF.
Single	685 x 565 x 1920 mm	20 levels**	1007.50	-	-	-	-	-
	685 x 565 x 1920 mm	21 levels	1007.51	30 levels	1007.91	680 x 490 x 1950 mm	22 levels	1007.01
	685 x 565 x 1615 mm	17 levels	1007.52	24 levels	1007.92	680 x 490 x 1640 mm	18 levels	1007.02
	685 x 565 x 1310 mm	13 levels	1007.53	18 levels	1007.93	680 x 490 x 1340 mm	14 levels	1007.03
	1335 x 565 x 1920 mm	2 x 21 levels	1007.56	2 x 30 levels	1007.96	1320 x 490 x 1950 mm	2 x 22 levels	1007.06
Double	1335 x 565 x 1615 mm	2 x 17 levels	1007.57	2 x 24 levels	1007.97	1320 x 490 x 1640 mm	2 x 18 levels	1007.07
	1335 x 565 x 1310 mm	2 x 13 levels	1007.58	2 x 18 levels	1007.98	1320 x 490 x 1340 mm	2 x 14 levels	1007.08

*without push handlebar - L. 765 (single) or 1415 mm (double) with push handlebar | **7 inclined slides (11°) on upper part for baskets only

Base unit size options

MODEL	DIM. L X W X H	CAPACITY	OPEN-FRONT CABINETS		ROLLER SHUTTER CABINETS	
Single	485 x 762 x 1920 mm	21 levels	1007.04		1007.54	
	485 x 762 x 1615 mm	17 levels	1007.05		1007.55	
Double	935 x 762 x 1920 mm	2 x 21 levels	1007.09		1007.59	
	935 x 762 x 1615 mm	2 x 17 levels	1007.10		1007.60	

Eolis® - Design your mobile cabinet

600 x 400

Standard Colours



1 Base Unit (empty)



REF. 1007.51 REF. 1007.56 REF. 1007.52 REF. 1007.57 REF. 1007.53 REF. 1007.58 REF. 1007.55/1007.54 REF. 1007.60 REF. 1007.59

MODEL	DEPTH 400				DEPTH 600			
	ROLLER SHUTTER CABINETS		DRAWERS CABINETS		OPEN FRONT	ROLLER SHUTTER		
	CAPACITY	REF.	CAPACITY	REF.	CAPACITY	STANDARD LADDERS FOR BASKETS		
Single	20 levels	1007.50	-	-	-	-	-	-
	21 levels	1007.51	30 levels	1007.91	22 levels	1007.01	21 levels	1007.04 1007.54
	17 levels	1007.52	24 levels	1007.92	18 levels	1007.02	17 levels	1007.05 1007.55
	13 levels	1007.53	18 levels	1007.93	14 levels	1007.03	-	-
Double	2 x 21 levels	1007.56	2 x 30 levels	1007.96	2 x 22 levels	1007.06	2 x 21 levels	1007.09 1007.59
	2 x 17 levels	1007.57	2 x 24 levels	1007.97	2 x 18 levels	1007.07	2 x 17 levels	1007.10 1007.60
	2 x 13 levels	1007.58	2 x 18 levels	1007.98	2 x 14 levels	1007.08	-	-

* only for 1103.37/38/39 pill dispensers

2 Central Locking



Central locking with lock

	DRAWERS	ROLLER SHUTTER	Master key
with key lock	1700.01	1700.10	for key lock 1600.19
with code + key lock	1700.04	1700.13	for code + key lock 1501.10

3 Drawers + Baskets



Drawers 600 x 400

	HEIGHT	STANDARD	LOCKABLE
1 level	75 mm	1600.30	1600.33
2 levels	150 mm	1600.31	1600.34
3 levels	225 mm	1600.32	1600.35

*master key for key lock - Ref. 1101.87



Baskets ISO 600 x 400

	HEIGHT	MESH	PLAIN
1 level	52 mm	1107.01	
2 levels	110 mm	1107.04	1107.02
3 levels	200 mm	1107.05	1107.03

Add pair of end stops - Ref. 1107.43



REF. 1100.26OP4

600 x 400 trays with patient bins equipped with 1 separation / bin

	1 LEVEL	2 LEVELS
6 patient bins	1100.26 OP3	1100.26 OP6
4 patient bins	1100.26 OP4	1100.26 OP7
3 patient bins	1100.26 OP5	1100.26 OP8

Transfer



REF. 1007.52 + 1700.41

Full-height handle only for roller shutter cabinets

for cabinet H. 1920 mm	1700.40
for cabinet H. 1615 mm	1700.41
for cabinet H. 1310 mm	1700.42




REF. 1007.59 + 1700.93

Transfer - cabinet kit

including: corner bumpers & handlebars, Ø 160 mm swivel wheels (front-facing with brakes)

Depth 400	Single	1700.90*
	Double	1700.91*
Depth 600	Single	1700.92**
	Double	1700.93**

Height to be specified when ordering:
*H. 1920 mm / H. 1615 mm / H. 1310 mm
**H. 1920 mm / H. 1615 mm



Side Push Handlebar
REF. 1700.21



Side Rail
REF. 1700.22



Folding Side Shelf
REF. 1700.24



Side Wire Baskets
400 x 100 x H. 100 mm 494.21
400 x 200 x H. 150 mm 494.23



Telescopic epoxy steel shelf
REF. 1101.99



Telescopic Holder for basket 600x400
Depth 400 1103.77
Depth 600 1103.76



Toxic Drugs Cabinet with steel door and key lock
REF. 1101.84




Telescopic Toxic Drawer with key lock

	D. 400 MM	D. 600 MM
1 level	1700.36	1701.01
2 levels	1700.37	1701.02

Additional cost for code lock + key 1700.38



Probes Holder Shelf Telescopic
for cabinet - D. 400 mm capacity: 6 x 4 hooks (24 hooks) 1700.27
for cabinet - D. 600 mm capacity: 12 large hooks 1700.94



Telescopic support for packed probes
Depth 400 1700.34
Depth 600 1700.48
Separators Length 1102.36
Width 1102.35



Additional Costs for:
4 wheel buffers 1700.20
4 adjustable pads 1700.35
4 double-roller wheels Ø 125 mm with 2 brakes (for single cabinet) 1102.47
6 double-roller wheels Ø 125 mm with 3 brakes (for double cabinet) 1700.18

Eolis® Mobile Cabinet

Mobile cart fully equipped for a range of applications.

Standard Features

- Roller Shutters with and without key lock
- 600 x 400 accessory options
- Handle bar (removable on demand)
- Sticker: MEDICATION as standard

Standard Colours



Medication Cabinet - 38 Patients

Fully equipped with:
 Extractable roller shutter with key lock
 7 x Medication trays 600 x 400 equipped with 38 patient bins
 600 x 400 drawers with handle: 2 x 1 level + 2 x 2 levels + 2 x 3 levels
 Push handle bar included (removable on demand)
 MEDICATION standard sticker


REF. 1007.51C02



Medication Cabinet - 24 Patients

Fully equipped with:
 Extractable roller shutter with key lock
 24 x Medication trays equipped with 192 nominative pills dispensers 1/8
 600 x 400 drawers with handle: 2 x 2 levels
 Push handle bar included (removable on demand)
 MEDICATION standard sticker

REF. 1007.91C01



Medication Cabinet with Baskets

Fully equipped with:
 Extractable roller shutter with key lock
 600 x 400 mesh baskets: 2 x 1 level + 4 x 2 levels + 3 x 3 levels
 Push handle bar included (removable on demand)
 MEDICATION standard sticker

REF. 1007.51C01



Cabinet for Catheters and Endoscopes

Fully equipped with:
 Extractable roller shutter
 24 telescopic hooks
 Trays 600 x 400
 600 x 400 drawers with handle: 3 x 2 levels

REF. 1007.51C03



Design your modular Eolis® mobile cabinet see pages 105 - 113 for full list of accessories

Design your modular Eolis® mobile cabinet see pages 105 - 113 for full list of accessories

Eolis® - Transfer Trolley

The modular transfer trolley has a range of options to create a trolley to meet your specific requirements.

Standard Features

- Epoxy-coated welded steel structure (8 colours available), composed of perforated side frames (U-profile) with space adjustment every 75 mm, assembled with crossbars (square tubes)
- Standard configuration includes 4 (simple) or 8 (double) pairs of composite slides with end stops, straight & removable
- Lateral epoxy steel push handlebar included
- Optional compact resin top tray
- Polyamide Ø 125 mm swivel wheels, grey non-marking rubber, stainless steel ball bearing & integrated threadguards

Standard Colours



Transfer Trolley - Single (9 levels)

Fully equipped with:
4 pairs of composite slides
600 x 400 mesh baskets: 3 x 2 levels 1 x 3 levels
4 bumper rollers

REF. 1002.04D03



Transfer Trolley 600 x 400 - (9 Levels)

Fully equipped with:
Open-top frame for ISO 600 x 400 basket
4 pairs of composite slides
600 x 400 mesh baskets: 3 x 1 level (with separations - 6 compartments) + 1 x 2 levels + 1 x 3 levels

REF. 1002.04D02



Transfer Trolley - Double (2 x 9 levels)

fully equipped with:
Compact resin top tray
9 pairs of composite slides
600 x 400 mesh baskets: 4 x 1 level + 3 x 2 levels + 2 x 3 levels + 5 label holders

REF. 1002.14T01




Transfer Trolley D.600mm - Double

Fully equipped with:
Compact resin top tray
7 pairs of composite slides
600 x 400 mesh baskets: 5 x 2 levels + 2 x 3 levels

REF. 1002.09T01

Base unit size options

DEPTH	MODEL	DIM. L X W	
D. 400 mm	Single (9 levels)	768 x 472 mm	1002.04
	Double (2 x 9 levels)	1405 x 472 mm	1002.14
D. 600 mm	Single (9 levels)	568 x 672 mm	1002.08
	Double (2 x 9 levels)	1005 x 672 mm	1002.09
EMPTY WEIGHT	100 kg		



Open-top frame for ISO 600 x 400 basket

For single trolleys only

depth 400 mm	1201.03
depth 600 mm	1201.04



Compact Resin Top Tray

	SINGLE	DOUBLE
depth 400 mm	1102.89	1103.28
depth 600 mm		1103.29

Eolis® - Transfer Trolley

The modular transfer trolley has a range of options to create a trolley to meet your specific requirements.

Standard Features

- Epoxy-coated welded steel structure (8 colours available), composed of perforated side frames (U-profile) with space adjustment every 75 mm, assembled with crossbars (square tubes)
- Standard configuration includes 4 (single) or 8 (double) pairs of composite slides with end stops, straight & removable
- Lateral stainless steel push handlebar included
- Optional compact resin top tray
- Polyamide Ø 125 mm swivel wheels, grey non-marking rubber, stainless steel ball bearing & integrated threadguards

Standard Colours



Transfer Trolley 600 x 400 - (17 levels)

Fully equipped with:
8 pairs of composite slides
600x400 Mesh baskets 3 x 1 level + 5 x 2 levels (1 plain + 1 meshed) + 3 x 3 levels (2 plain + 1 meshed)
4 bumper rollers + 2 wheels Ø 125 mm with brake

REF. 1002.500.P1



Transfer Trolley 400 x 600 - (17 levels)

fully equipped with:
4 pairs of composite slides
400x600 meshed basket:
4x3 levels

REF. 1007.52T01

Base unit size options

DEPTH	MODEL	DIM. L X W	
D. 400 mm	Single (17 levels)	740 x 472 mm	1002.50
	Double (2 x 17 levels)	1378 x 472 mm	1002.51
D. 600 mm	Single (17 levels)	540 x 672 mm	1002.52
	Double (2 x 17 levels)	978 x 672 mm	1002.53
EMPTY WEIGHT	150 kg		



REF. 1002.50 + OPTIONS

REF. 1002.53 + OPTIONS

Eolis® - Transfer Trolley

Robust aluminium transfer cabinet with a choice of storage options.

Standard Features

- Modular conception with internal ABS ladders, to be equipped with ISO 600x400 accessories - Anodized aluminum structure with anti-torsion frame
- Lower bumper (surrounding the frame) and upper bumper in non-marking grey PVC
- Swing doors, 270° opening with holding magnets in open position - 3-points lever-operated lock with key
- Handles on both sides
- Ø 125 mm (single) or Ø 200 mm (double) wheels, including 2 fixed + 2 swivel with brakes, grey non-marking rubber, stainless steel ball bearing & integrated threadguards



Transfer Cabinet - Single
Capacity: 18 levels - Standard ladders

REF. 1002.60 + OPTIONS



Transfer Cabinet - Double
Capacity: 2 x 18 Levels - Standard Ladders

REF. 1002.62 + OPTIONS



Transfer Cabinet - Single
Capacity: 26 levels - Thin ladders

REF. 1002.61 + OPTIONS



Transfer Cabinet - Double
Capacity: 26 Levels - Thin Ladders

REF. 1002.63 + OPTIONS

Design your modular eolis® transfer trolley see pages 105 - 113 for full list of accessories

Base unit options

	DIM. L X W X H	SINGLE	DOUBLE
standard ladders (column: 18 levels)	757 x 634 x 1712 mm	1002.60	1002.62
thin ladders (column: 26 levels)	1414 x 710 x 1787 mm	1002.61	1002.63
EMPTY WEIGHT	Single : 50kg	Double : 94kg	

Options

Upper bumper	496.11
Brake for Ø 200 mm swivel wheel	496.10
Directional locking on 2 wheels (for Ø 200 mm wheels) <i>non compatible with linkbar</i>	496.08
Central brake on 2 wheels Ø 200 mm or Ø 125 mm <i>for double cabinets only</i>	496.05
Linkbar with hook	496.04
Central locking with key lock + 2 keys included <i>(master key - Ref. 496.38)</i>	496.06
Central locking for seal lock <i>(pack of 100 numbered seals - Ref. 1100.47)</i>	416.12
Document frame	A4 size
	A5 size



REF. 496.11



REF. 496.10



REF. 496.04



REF. 496.02

Eolis® - Storage Shelving 600 x 400

Flexible, modular storage system, compliant with ISO 600x400. Tailor-made layout to optimize your storage space, according to your needs.

Standard Features


- Modular storage system, compliant with ISO 600x400 standards
- Customised layout to optimise your storage spaces according to your needs
- Epoxy-coated welded steel structure (8 colours available), composed of perforated side frames (U-profile) with space adjustment every 75 mm, assembled with crossbars (square tubes)
- Shelving units (bases + extensions) with a width of 1000 mm and 1200 mm equipped as standard with a rear stiffener
- Fixed shelving: with height-adjustable pads or Mobile shelving: polyamide Ø 125 mm swivel wheels

Standard Colours



Select your base

Combine with extensions of the same depth



Example equipped with:

1. Fixed shelving base - 600 x 400 mm (REF. 1002.31), 2. 600x400 baskets on inclined slides (REF. 1200.28) and on horizontal slides (REF. 1200.26), 3. Extension for fixed shelving - 600 x 400 mm (REF. 1002.32), 4. Fixed inclined shelves - with raised edges 600x400 (REF. 1200.42), 5. Telescopic ISO 600x400 baskets holder* (REF. 1103.77), 6. Telescopic support for packed probes* (REF. 1700.34), 7. Extension for fixed shelving - 1000 x 400 mm (REF. 1002.79), 8. Inclined telescopic drawers - Transparent front panel (REF. 1200.76) and fixed (REF. 1200.71), 9. Fixed horizontal shelves - with turned down edges 1000x400 (REF. 1200.32), 10. Top/Bottom shelf 1000x400 (REF.1200.38), *add pair of horizontal slides (REF. 1200.26).



Storage Shelving - Mobile
Depth 600mm

REF. 1002.28 + OPTIONS



Storage Shelving - Mobile
Triple - Depth 600

REF. 1002.30 + OPTIONS

Base unit options

DEPTH	WIDTH	FIXED SHELVING		MOBILE SHELVING	
		BASE	EXTENSION	BASE	EXTENSION
400 mm	600 mm	1002.31	1002.32	1002.26	1002.68
	1000 mm*	1002.78	1002.79	1002.70	1002.71
	1200 mm*	100.82	1002.83	1002.74	1002.75
	Double 600 mm	-	-	1002.27	-
600 mm	400 mm	1002.33	1002.34	1002.28	1002.69
	1000 mm*	1002.80	1002.81	1002.72	1002.73
	1200 mm*	1002.84	1002.85	1002.76	1002.77
	Double 400 mm	-	-	1002.29	-
	Triple 400 mm	-	-	1002.30	-

*equipped as standard with a rear stiffener

Design your modular eolis® storage shelves see pages 94 - 95 for full list of accessories

MODEL	HEIGHT	DEPTH	WIDTH	
			BASE	EXTENSION
Fixed	1895	461	663	638
			1068	1043
			1268	1243
		661	463	438
			1068	1043
			1268	1243
Mobile	1993	472	697	638
			1102	1043
			1302	1243
		672	497	438
			1102	1043
			1302	1243

Capacity
22 levels (fixed slides)
20 levels (inclined slides)
space adjustment every 75 mm

MAXIMUM LOAD
Shelving (Bases/Extensions) : 200kg
Fixed shelves : 80kg
Telescopic drawers/shelves : 50kg

INSTALLATION
The assembly of storage shelving is done with screws and locking nuts - Set up of all accessories without tools - Combination of mobile shelving until a maximum width of 1200 mm - Wall mount included for fixed shelving unit




Eolis® - Design your storage shelving 600 x 400

Standard Colours




1 Select your base



	Width 400/600 mm		Width 1000 mm		Width 1200 mm			
	FIXED	MOBILE	FIXED	MOBILE	FIXED	MOBILE		
600 x 400	1002.31	1002.26	1000 x 400	1002.78	1002.70	1200 x 400	1002.82	1002.74
400 x 600	1002.33	1002.28	1000 x 600	1002.80	1002.72	1200 x 600	1002.84	1002.76

Extensions



Optional extensions

	600 X 400	400 X 600	1000 X 400	1000 X 600	1200 X 400	1200 X 600
FIXED	1002.32	1002.34	1002.79	1002.81	1002.83	1002.85
MOBILE	1002.68	1002.69	1002.71	1002.73	1002.75	1002.77

Double/Triple (empty)



Mobile double/triple	
Double 600 x 400	1002.27
Double 400 x 600	1002.29
Triple 400 x 600	1002.30

2 Shelves, Drawers + Baskets



Fixed shelves with pair of slides

Horizontal shelves reversible / Inclined with raised edges

DEPTH	LENGTH	HORIZONTAL		INCLINED	
D. 400 mm	600 mm	1200.30	1200.42		
	1000 mm	1200.32	1200.44		
	1200 mm	1200.34	1200.46		
D. 600 mm	400 mm	1200.31	1200.43		
	1000 mm	1200.33	1200.45		
	1200 mm	1200.35	1200.47		

Telescopic shelves/drawers - Horizontal

Rail included

DEPTH	LENGTH	SHELVES		DRAWERS	
D. 400 mm	600 mm (13 notches)	1200.50	1200.56		
	1000 mm (21 notches)	1200.52	1200.58		
	1200 mm (26 notches)	1200.54	1200.60		
D. 600 mm	400 mm (13 notches)	1200.51	1200.57		
	1000 mm (21 notches)	1200.53	1200.59		
	1200 mm (26 notches)	1200.55	1200.61		

Divider for fixed shelves with raised edge

DEPTH	
D. 400 mm	1200.48
D. 600 mm	1200.49

Telescopic drawers with transparent front panel

Rail included

DEPTH	LENGTH	HORIZONTAL		INCLINED	
D. 400 mm	600 mm (13 notches)	1200.70	1200.75		
	1000 mm (21 notches)	1200.71	1200.76		
	1200 mm (26 notches)	1200.72	1200.77		
D. 600 mm	1000 mm (21 notches)	1200.73	1200.78		
	1200 mm (25 notches)	1200.74	1200.79		

Divider for telescopic drawers

MODEL	
a. Dividers D.400 mm	1200.80
a. Dividers D. 600 mm	1200.81
b. Small (2 notches - L. 90 mm)	1200.82
c. Medium (3 notches - L. 137 mm)	1200.83
d. Large (4 notches - L. 184 mm)	1200.84

3 Options + Accessories



Baskets ISO 600 x 400

	HEIGHT	MESH	PLAIN
1 level	52 mm	1107.01	
2 levels	110 mm	1107.04	1107.02
3 levels	200 mm	1107.05	1107.03

Add pair of end stops - REF. 1107.43



Separations for baskets ISO 600 x 400

	WIDTH	LENGTH
1 level	1107.10	1107.11
2 levels	1107.12	1107.13
3 levels	1107.14	1107.15

Mesh baskets: add retention clip for separations - REF. 1107.41




Label holder for baskets

	VERTICAL	HORIZONTAL
clamp for label holder	1107.55	1107.56
clear label holder	1107.59	1107.58
white PVC plate (x50)	1106.19	



Pair of slides

	D. 400 MM	D. 600 MM
Horizontal	1200.26	1200.27
Inclined	1200.28	1200.29



Top or bottom shelves

WIDTH	D. 400 MM	D. 600 MM
400 mm	-	1200.37
600 mm	1200.36	-
1000 mm	1200.38	1200.39
1200 mm	1200.40	1200.41

Label Holder for Shelving to clip on the structure

structure holder	1107.64
+ clamp for label holder	1107.55
+ clear label holder	1107.57

Ø 125 mm wheel with brake replacing 2 wheels Ø 125 mm



REF. 1300.42

Equip your drawers with label holders available page 105 - 113

Pair of Fixings for mobile shelving

murals	1200.24
back to back	1200.25

More accessories for baskets available page 108


Eolis® - Picking Station

Eolis® is a mobile picking station designed to help organise and store medicines. Eolis® is easily moved to allow room cleaning.

Standard Features

- Epoxy steel frame fully welded
- 10° inclined upper part
- Removable and adjustable rail to fix medication drawers
- 4 polypropylene Ø 125 mm wheels with threadguards, 2 with brakes, stainless steel ball bearings

Standard Colours



Picking Station

REF 1007.40 + OPTIONS

Picking Station

fully equipped with:
16 x 3 levels bins 1/6 (1 level) with rails + 10 x 2 levels bins 1/4 (1 level) with rails
Antibacterial top work surface
4 polypropylene wheels with threadguards Ø 125mm, 2 with brakes and stainless steel ball bearings

REF 1007.40P3

Eolis® - Mobile Workstation

A mobile workstation with storage capacity for boxes and bins.

Standard Features

- Welded steel frame with epoxy coating
- Frame equipped with threaded inserts as standard to fix 1 or 2 drawer blocks below the worktop
- Antibacterial strong resin top tray (10 mm thickness)
- 4 polyamid castor wheels Ø 125 mm with integrated threadguards, 2 with brakes (in front)

Standard Colours



Picking Station

fully equipped with:
1 drawer block with 1 drawer:
1 x 2 levels
Bridge equipped with:
1 line of 5 plastic boxes + 2 rails

REF 1007.16T01



Mobile Workstation - Double

Fully equipped with:
1 drawer block 3 levels with 2 drawers :
1 x 1 level + 1 x 2 levels
Bridge equipped with :
1 shelf for bridge + 1 boxes holder with 4 x 3.5L boxes + 1 rail with plastic basket
3 box holders with 7 x 1 level 1/6 patient bins + 5 x 1 level 1/4 bins
+ 4 x 2 levels 1/3 bins

REF 1007.17T01

Base unit options

MODEL	DIM. L X W X H	REF.
Mobile	1370 x 685 x 1990 mm	1007.40
EMPTY WEIGHT	22kg	
	Total rack capacity : 28 levels (12 inclined + 16 horizontal)	
CAPACITY	Capacity/options on rack : Capacity/rail 1 line of bins 1 level = 4 levels for nominatives bins : 1 line of bins 2 levels = 6 levels 16 bins 1/6 (L. 90 mm) 1 work plan = 7 levels 10 bins 1/4 (L. 130 mm) 8 bins 1/3 (L. 178 mm)	

Options

MODEL	REF.
① Rail for medication drawers	L. 1385 mm 1007.42
② Working surface	1007.43
③ Back edge	1007.47
④ Suspended drawer block (empty)	4 levels 1007.44 3 levels 1007.45
⑤ Lower shelf	1007.46
Computer arm holder	1007.48

Base unit options


MODEL	DIM. L X W X H	REF.
Single	794 x 589 x 910 mm	1007.16
Double	1544 x 589 x 910 mm	1007.17

Options

MODEL	REF.
Drawer block under the worktop	For 1 drawer 1700.30 3 levels 1700.31 4 levels 1700.32
Locking for drawer	Key lock 1700.01 Master key 1700.03 Code lock + key 1700.04

Accessories

MODEL	REF.
① Bridge for workstation Eolis®	1700.33
② Rail for bridge	1600.22
③ Shelf for bridge	1600.23
④ Boxes holder	1600.24
Holder for laptop	1700.47
Holder with VESA	1700.46



Design your picking station Eolis® 600 x 400 with accessories available page 105 - 113

Design your mobile workstation with accessories available page 105 - 113

Eolis® - Mobile Workstation 600 x 400

Fully customisable modular worktops with ISO 600x400 drawers.

Standard Features

- Epoxy steel welded monobloc body frame
- Closed on 5 sides
- Opening side : 600 mm
- High-density compact resin work-top (10 mm thick) with antibacterial treatment, 99.9% efficiency tested on 7 bacteria according to the norm JIS Z 2801
- ABS interior ladders with the capacity of 9 or 2 x 9 or 3 x 9 levels enabling to fill with perforated basket ISO 600x400 and Eolis range equipments
- Wheels Ø 125 mm with brakes, stainless steel bearing and integrated threadguards

Standard Colours



Mobile Workstation - Single

Fully equipped with:
5 Drawers:
2 x 1 level + 2 x 2 levels + 1 x 3 levels
4 wheels Ø 125mm - 2 with brakes

REF. 1007.11W01

Mobile Workstation - Double

Fully equipped with:
10 Drawers:
4 x 1 level + 4 x 2 levels + 2 x 3 levels
6 wheels Ø 125mm - 3 with brakes

REF. 1007.12W01



Mobile Workstation - Double

With roller shutter - Depth 600

REF. 1007.67



Mobile Workstation - Double

With roller shutter - depth 400

REF. 1007.62 + OPTIONS



Mobile Workstation - Triple

Fully equipped with:
15 Drawers:
6 x 1 level + 6 x 2 levels + 3 x 3 levels
8 wheels Ø 125mm - 4 with brakes

REF. 1007.13W01

Base unit options

DEPTH 400 MM					DEPTH 600 MM				
MODEL	COLUMN	CAPACITY	DIM. L X W X H	REF.	MODEL	COLUMN	CAPACITY	DIM. L X W X H	REF.
Drawers	Single	9 levels	680 x 490 x 965 mm	1007.11	Without r. shutter	Single	8 levels	485 x 762 x 935 mm	1007.76
	Double	2 x 9 levels	1325 x 490 x 965 mm	1007.12		Double	2 x 8 levels	935 x 762 x 935 mm	1007.77
	Triple	3 x 9 levels	1966 x 490 x 965 mm	1007.13		Triple	3 x 8 levels	1385 x 762 x 935 mm	1007.78
	With central space	2 x 9 levels	2030 x 490 x 965 mm	1007.14		With central space	2 x 8 levels	2026 x 762 x 935 mm	1007.79
	Back to back	2 x 9 levels	1135 x 680 x 965 mm	1007.15		Single	8 levels	485 x 762 x 935 mm	1007.66
	Single	8 levels	685 x 565 x 935 mm	1007.61		Double	2 x 8 levels	935 x 762 x 935 mm	1007.67
Baskets + r. shutter	Double	2 x 8 levels	1335 x 565 x 935 mm	1007.62	Triple	3 x 8 levels	1385 x 762 x 935 mm	1007.68	
	Triple	3 x 8 levels	1985 x 565 x 935 mm	1007.63	With central space	2 x 8 levels	2026 x 762 x 935 mm	1007.69	

Design your modular Eolis® mobile workstation see pages 100 - 101 for full list of accessories

Eolis® - Design your Mobile Workstation 600 x 400

Standard Colours



1 Select your base



REF. 1007.14



REF. 1007.15



REF. 1007.61



REF. 1007.63

Depth 400 - With drawers

COLUMN	CAPACITY	REF.
Single	9 levels	1007.11
Double	2 x 9 levels	1007.12
Triple	3 x 9 levels	1007.13
With central space	2 x 9 levels	1007.14
Back to back	2 x 9 levels	1007.15

Depth 400 - With roller shutter

COLUMN	CAPACITY	REF.
Single	8 levels	1007.61
Double	2 x 8 levels	1007.62
Triple	3 x 8 levels	1007.63



REF. 1007.76



REF. 1007.77



REF. 1007.68



REF. 1007.69

Depth 600 - Without roller shutter

COLUMN	CAPACITY	REF.
Single	8 levels	1007.76
Double	2 x 8 levels	1007.77
Triple	3 x 8 levels	1007.78
With central space	2 x 8 levels	1007.79

Depth 600 - With roller shutter

COLUMN	CAPACITY	REF.
Single	8 levels	1007.66
Double	2 x 8 levels	1007.67
Triple	3 x 8 levels	1007.68
With central space	2 x 8 levels	1007.69

2 Central Locking



REF. 1700.01



REF. 1700.04

Central locking with key lock

MODEL	DRAWERS	ROLLER SHUTTER
Key lock	1700.01	1700.10
With code + key	1700.04	1700.13

Master key

MODEL	REF.
for key lock	1600.19
for code + key lock	1501.10

3 Options + Accessories



Drawers 600 x 400

MODEL	WEIGHT	REF.
1 level	75 mm	1600.30
2 levels	150 mm	1600.31
3 levels	225 mm	1600.32



Baskets 600 x 400

MODEL	WEIGHT	REF.
1 level	52 mm	1107.01
2 levels	110 mm	1107.04
3 levels	200 mm	1107.05


+ pair of end stops - REF. 1107.43



Lateral Push Handlebar
REF. 1700.21



Lateral Rail
REF. 1700.22



Folding Lateral Shelf
REF. 1700.24

Bridge



Adjustable Bridge
for workstation
REF. 1700.23

Accessories for Bridge

① Rail for bridge	1600.22
② Shelf for bridge	1600.23
③ Boxes holder	1600.24

Computer Arms




REF. 1700.46

Computer Arms

for laptop	1700.46
for screen	1700.47

Back edge + top tray



① Back Edge - Height. 100mm

MODEL	D. 400 MM	D. 600 MM
Single	1700.84	1700.95
Double	1700.85	1700.96
Triple	1700.86	1700.97
With central space	1700.87	1700.98

② Back Space Top Tray

MODEL	DEPTH 570 MM	
	WITH DRAWERS	WITH ROLLER SHUTTER
Single	1700.65	1700.73
Double	1700.66	1700.74
Triple	1700.67	1700.75
With central space	1700.68	-

Eolis® - Drawer Block 600 x 400

Mobile drawer units with drawers from the Eolis® 600x400 modular range, pre-configured as standard.

Standard Features

- Epoxy steel welded monobloc body frame. Closed on 5 sides
- Opening side : 600 mm
- 4 polypropylene with threadguards swivel Ø 75 mm wheels, 2 with brakes
- ABS interior ladders

Standard Colours



Drawer Block with Drawers (H. 730mm) Depth 400

Fully equipped with:
4 drawers:
2 x 1 level + 1 x 2 levels + 1 x 3 levels

REF 1007.22D01

Isolation Trolley - (H. 930mm) Depth 400

Fully equipped with:
4 drawers:
2 x 1 level + 1 x 2 levels + 1 x 3 levels
1 disinfectant holder + 1 refuse bag holder 20L

REF 1007.22I01

Drawer Block with Roller Shutter (H. 730mm) Depth 600

REF 1007.73 + OPTIONS

Drawer Block with Roller Shutter - (H. 930mm) Depth 600

REF 1007.75 + OPTIONS

Base unit options

DEPTH	MODEL	CAPACITY	DIM. L X W X H	MOBILE	SUSPENDED
400 mm	With drawers	9 levels	644 x 457 x 874 mm	1007.20	1007.30
		8 levels	644 x 457 x 797 mm	1007.21	1007.31
		7 levels	644 x 457 x 730 / 830 / 930 mm*	1007.22	1007.32
	With roller shutter	8 levels	650 x 532 x 847 mm	1007.70	1007.80
		7 levels	650 x 532 x 770 mm	1007.71	1007.81
		6 levels	650 x 532 x 694 mm	1007.72	1007.82
600 mm	Without roller shutter	8 levels	732 x 450 x 846 mm	1007.83	-
		7 levels	732 x 450 x 769 mm	1007.84	-
		6 levels	732 x 450 x 693 / 793 / 893 mm*	1007.85	-
	With roller shutter	8 levels	732 x 450 x 846 mm	1007.73	-
		7 levels	732 x 450 x 769 mm	1007.74	-
		6 levels	732 x 450 x 693 / 793 / 893 mm*	1007.75	-

* 3 height to choose (730 / 830 / 930 mm)

Options

	MODEL	WITH DRAWERS	WITH R. SHUTTER
Central locking	with key lock	1700.01	1700.10
	with code lock	1700.03	1700.12
	with code lock + key	1700.04	1700.13
Antibacterial top tray	D. 400 mm	1700.50	1700.51
	D. 600 mm	-	1700.61

Design your drawer block and wall cabinet eolis® 600 x 400 with accessories available pages 105 - 113

Eolis® - Wall Cabinet 600 x 400

Fully-customizable modular wall-mounted security cabinets with accessories (bins, trays) in ISO 600x400 format.

Standard Features

- Monobloc, closed on 5 sides with roof and bottom 600 front open
- Folding shutter fitted with a key lock
- Equipped as standard with 1 shelf or empty (depending on model)

Standard Colours



Eolis® Accessories



Wall Cabinet

Fully equipped with:
1 shelf + 1 curtain with code lock

REF. 1000.41C01

Wall Cabinet

Fully equipped with:
1 shelf for boxes + 1 curtain with key lock

REF. 1000.42OP1

Base unit options

MODEL	DIM. LX WX H	REF.
Equipped with one shelf	665 x 435 x 405 mm	1000.41
Empty		1000.42
MAX. CAPACITY	4 pairs of rails or 3 shelves (optional)	

Options

	REF.
Code lock	1103.51
Pair of slides	1103.42
Additional shelf	1103.44
Wall fixing kit (compatible with drawers block suspended)	1103.75

Eolis® - Drawers

Drawers 600 x 400



Drawers 600 x 400

MODEL	DIM. L X W X H	DIM. INT. L X W X H	REF.
1 level	600 x 400 x 73 mm	560 x 354 x 60 mm	1600.30
2 levels	600 x 400 x 149 mm	560 x 354 x 139 mm	1600.31
3 levels	600 x 400 x 226 mm	560 x 354 x 216 mm	1600.32

Compartments (CPT) for drawers 600x400



MODEL	2 CPT	3 CPT	4 CPT	6 CPT	8 CPT	12 CPT	18 CPT	24 CPT
For 1 level drawer	1600.70	1600.71	1600.72	1600.73	1600.74	1600.75	1600.76	1600.77
For 2 levels drawer	1600.80	1600.81	1600.82	1600.83	1600.84	1600.85	1600.86	1600.87
For 3 levels drawer	1600.90	1600.91	1600.92	1600.93	1600.94	1600.95	1600.96	1600.97

Subdivision bins (for drawers 600 x 400)



Subdivision Bins for Drawers

HEIGHT	MODEL	DIM. L X W X H	REF.
1 level	L. 1/6	90 x 345 x 55 mm	1100.81
	L. 1/4	130 x 345 x 55 mm	1100.85
	L. 1/3	178 x 345 x 55 mm	1103.89
	W. 1/3 - Length divider	110 x 550 x 55 mm	1100.93
	L. 1/10		1106.10
2 levels	L. 1/8		1106.09
	L. 1/6	90 x 345 x 130 mm	1100.83
	L. 1/4	130 x 345 x 130 mm	1100.87
	L. 1/3	178 x 345 x 130 mm	1103.91
	W. 1/3 - Length divider	110 x 550 x 130 mm	1100.94

Separation for Subdivision Bins

HEIGHT	MODEL	DIM. L X W X H	REF.
1 level	L. 1/6	90 x 345 x 55 mm	1100.89
	L. 1/4	130 x 345 x 55 mm	1100.91
	L. 1/3	178 x 345 x 55 mm	1103.93
	W. 1/3 - Length divider	110 x 550 x 55 mm	1100.95
	L. 1/6	90 x 345 x 130 mm	1100.90
2 levels	L. 1/4	130 x 345 x 130 mm	1100.92
	L. 1/3	178 x 345 x 130 mm	1103.94
	W. 1/3 - Length divider	110 x 550 x 130 mm	1100.96

Lockable drawers 600 x 400



Drawers for Toxic Drugs with Lid and Lock

MODEL	DIM. L X W X H	REF.
1 level	600 x 400 x 73 mm	1600.33
2 levels	600 x 400 x 149 mm	1600.34
3 levels	600 x 400 x 226 mm	1600.35
Master key for key lock		1101.87

Eolis® - Lockable Accessories

Toxic drugs drawers 600x400



600 x 400 Telescopic Toxic Drawers with Key Lock

HEIGHT	DIM. L X W X H	REF.
1 level	568 x 424 x 72 mm	1700.36
2 levels	568 x 424 x 148 mm	1700.37
Additional cost for electronic code + key lock for telescopic toxic drawer		1700.38
Master key for electronic code + key lock		1501.10

* Only for Eolis® cart and cabinet with roller shutter

Toxic drugs cabinet



Toxic Drugs Cabinet with Steel Door and Key Lock 3 Levels

REF. 1101.84

Cassette



REF. 1600.36



REF. 1600.37 EQUIPPED

Cassette + key lock

MODEL	LEVELS	REF.
2 levels	2	1600.36
3 levels	3	1600.37
4 levels	1	1600.38
4 levels	2	1600.39
Handle for casset		1600.42



REF. 1600.42

Eolis® - Baskets

Baskets ISO 600x400 - ABS beige and clear polycarbonate



Baskets ISO 600 x 400

MODEL	DIM. L X W X H	DIM. INT. L X W X H	MESH		PLAIN
			CLEAR POLYCARBONATE	ABS BEIGE	ABS BEIGE
1 level (standard basket)	600 x 400 x 52 mm	520 x 320 x 47 mm	1107.20	1107.01	1107.01
2 levels	600 x 400 x 110 mm	520 x 320 x 105 mm	1107.23	1107.04	1107.02
3 levels	600 x 400 x 200 mm	520 x 320 x 195 mm	1107.24	1107.05	1107.03

Add pair of end stops - REF. 1107.43

Dividers for baskets ISO - ABS Beige




MODEL	DIM. L X W X H	CLEAR POLYCARBONATE		ABS BEIGE	
		Width	Depth	Width	Depth
1 level	Width	600 x 50 mm	1107.31	1107.11	
	Depth	400 x 50 mm	1107.30	1107.10	
2 levels	Width	600 x 100 mm	1107.33	1107.13	
	Depth	400 x 100 mm	1107.32	1107.12	
3 levels	Width	600 x 200 mm	1107.35	1107.15	
	Depth	400 x 200 mm	1107.34	1107.14	

Baskets ISO 600x400 - ABS Grey



Dividers for grey baskets ISO 600x400



Baskets ISO 600 x 400 - Mesh

MODEL	DIM. L X W X H	DIM. INT. L X W X H	REF.
1 level (standard basket)	600 x 400 x 50 mm	545 x 345 x 50 mm	1102.30
2 levels	600 x 400 x 100 mm	535 x 335 x 100 mm	1102.31
3 levels	600 x 400 x 200 mm	515 x 315 x 200 mm	1102.32

End Stops Required - REF. 1102.39 x2



End stop (unit) x2 required
REF. 1102.39

Dividers ISO 600 x 400 - Grey ABS Plastic

MODEL	DIM. L X W X H	REF.	
1 level	Width	600 x 50 mm	1102.33
	Depth	400 x 50 mm	1102.34
2 levels	Width	600 x 100 mm	1102.35
	Depth	400 x 100 mm	1102.36
3 levels	Width	600 x 200 mm	1102.37
	Depth	400 x 200 mm	1102.38

Lid for Basket

REF. 1107.06



End Stops (Pair)

REF. 1107.43

Accessories



REF. 1107.40 REF. 1107.41

Divider T Junction

REF. 1107.40

Divider Lock

REF. 1107.41

Eolis® - Label Holders + Accessories



REF. 1107.55

REF. 1107.56

Support for Label Holders

for label holders or adhesive labels

MODEL	DIM. L X H	REF.
Vertical	40 x 57 mm	1107.55
Horizontal	57 x 40 mm	1107.56



REF. 1107.58

REF. 1107.59

Clear Label Holders

to clip into support - ref 1077.55/107.56

MODEL	DIM. L X H	REF.
Vertical	40 x 57 mm	1107.57
Horizontal	57 x 40 mm	1107.58
Protection for vertically or horizontally mounted labels	40 x 57 mm	1107.60
Full/empty (vertical)	40 x 57 mm	1107.59
Sliding full/empty (vertical)	108 x 57 mm	1107.69



REF. 1107.69

Large Label Holders

MODEL	DIM. L X H	REF.
Horizontal	90 x 55 mm	1107.53

White Plate for Label Holder

MODEL	DIM. L X H	REF.
PVC plate for Ref. 1007.57/58/59	55 x 38 mm	1102.74
A set of 50 PVC plate for Ref. 1107.57/58/59	55 x 38 mm	1106.19
PVC plate for Ref. 1107.53	86 x 54 mm	1107.54



REF. 1107.53

REF. 1107.54

Shelf Label Clip


MODEL	DIM. L X H	REF.
25/25 mm	35 x 30 x 40 mm	1107.64



REF. 1107.57 + 1107.55 + 1107.64

Handle for Basket

MODEL	DIM. L X H	REF.
Side 400 mm	386 x 46 mm	1107.65
Side 600 mm	586 x 46 mm	1107.66



REF. 1107.66 EQUIPPED

Coloured Label Strips for Handle

MODEL	DIM. L X H	REF.
Side 400 mm	35 x 364 mm	1107.68
Side 600 mm	35 x 540 mm	1107.67

Colours available : Blue, Green, Red, Yellow - Specify when ordering

Label holders for ISO grey baskets



REF. 1102.69

REF. 1106.06

Clip Label Holder

MODEL	UNIT	BATCH OF 50 UNITS
Vertical	1102.69	1106.18
Horizontal	1106.06	1106.17
Horizontal protection	1106.07	-

Eolis® - Trays 600 x 400

Trays 600x400



Trays 600 x 400
for patient bins
Dim. L.600 x D. 400 mm (Dim. int.: 540 x 340 mm)

REF. 1100.26

Nameable Patient Bins with Handle

HEIGHT	WIDTH	DIM. L X W X H	REF.
	1/6	90 x 385 x 60 mm	1100.82
1 level	1/4	130 x 385 x 60 mm	1100.86
	1/3	178 x 385 x 60 mm	1103.90
	1/6	90 x 385 x 136 mm	1100.84
2 levels	1/4	130 x 385 x 136 mm	1100.88
	1/3	178 x 385 x 136 mm	1103.92




REF. 1103.90 + 1103.93

REF. 1100.82 + 1100.89

REF. 1100.86 + 1100.91

Dividers for Nameable Patient Bins

HEIGHT	WIDTH	DIM. L X H	REF.
	1/6	90 x 55 mm	1100.89
1 level	1/4	130 x 55 mm	1100.91
	1/3	178 x 55 mm	1103.93
	1/6	90 x 130 mm	1100.90
2 levels	1/4	130 x 130 mm	1100.92
	1/3	178 x 130 mm	1103.94



REF. 1103.92 + 1103.94

REF. 1100.84 + 1100.90

REF. 1100.88 + 1100.92

Trays 600 x 400 with Patient Bins equipped with 1 separation/bin

	1 LEVEL	2 LEVELS
6 patient bins	1100.26 OP3	1100.26 OP6
4 patient bins	1100.26 OP4	1100.26 OP7
3 patient bins	1100.26 OP5	1100.26 OP8



REF. 1100.26OP4

Shelves ISO 600x400



Resin Shelf
REF. 1100.58



REF. 1700.39

REF. 1701.06

Aluminium shelf 600 x 400
with large back edge (4 levels) **1700.39**
with low back edge (2 levels) **1701.06**

Eolis® - Pill Dispenser



REF. 1103.33

REF. 1103.34

REF. 1103.40

REF. 1600.30 + 8X1600.60

Pill Dispenser

MODEL	DIM. L X W X H	REF.
Pills dispensers 1/8 with 4 adjustable separations + lid	67 x 376 x 42 mm (unit)	1103.33
	67 x 376 x 66 mm (unit)	1103.34
	67 x 357 x 42 mm for drawers 600x400 (x8 max) and COMPACT (x5 max) (unit)	1600.60
Pills dispensers 1/7 with 4 adjustable separations + lid	78 x 380 x 55 mm (unit)	1103.40

Trays Already Equipped with Pill Dispenser

MODEL	EQUIPPED WITH	REF.
Trays 600x400	8x pills (ref. 1103.33)	1103.37
	8x pills (ref. 1103.38)	1103.38
	7x pills (ref. 1103.40)	1103.41
Trays COMPACT	6x pills (ref. 1103.33)	1500.44
	5x pills (ref. 1103.40)	1500.45



REF. 1103.37

Cup Dispenser

MODEL	REF.
For drawer 1600.30 or 1500.47	1500.39



REF. 1500.39

Labels

MODEL	REF.
Label holder - Pack of 24 label holders for pills dispenser (ref. 1103.33/34/40)	1103.35
Label - Coloured sheets of 28 pre-cut labels	1103.36



REF. 1103.35

Cup and Holders

MODEL	REF.
30 ml (H. 42 mm) with lid	1100.55
30 ml (H. 32 mm) with lid	1103.49
160 ml without lid	1101.53
Lid for cup 1101.53	1101.54
For 8 cups 30 ml	1100.56
For 10 cups 60 ml	1101.52
For 35 cups 30 ml	1500.30



REF. 1500.30

Eolis® - Drawers & Baskets COMPACT

Drawers COMPACT



Baskets COMPACT



Drawers & Baskets Compact

	MODEL	DIM. L X W X H	DIM. INT. L X H	REF.
Drawers COMPACT for drawers cart	1 level	437 x 410 x 73 mm	395 x 63 mm	1500.47
	2 levels	437 x 410 x 149.5 mm	395 x 139.5 mm	1500.48
	3 levels	437 x 410 x 226 mm	395 x 216 mm	1500.49
Baskets COMPACT for roller shutter cart	1 level	400 x 300 x 50 mm	395 x 45 mm	1500.50
	2 levels	400 x 300 x 110 mm	395 x 105 mm	1500.51
	3 levels	400 x 300 x 170 mm	395 x 163 mm	1500.52

Compartments for drawers COMPACT



Compartment (CPT) For Compact Drawers

HEIGHT	3 CPT	6 CPT	9 CPT	12 CPT	16 CPT
1 level	1501.70	1501.71	1501.72	1501.73	1501.74
2 levels	1501.75	1501.76	1501.77	1501.78	1501.79
3 levels	1501.80	1501.81	1501.82	1501.83	1501.84

Dividers (unit) For Compact Drawers

HEIGHT	WIDTH	DEPTH
1 level	1501.67	1105.14
2 levels	1501.68	1105.15
3 levels	1501.69	1105.16

Compartments for baskets COMPACT




Compartment (cpt) For Compact Baskets

HEIGHT	6 CPT	8 CPT	12 CPT	20 CPT
1 level	-	-	-	1500.59
2 levels	1500.63	1500.64	-	1500.60
3 levels	1500.68	1500.69	1500.61	-

Dividers (unit) For Compact Baskets

HEIGHT	WIDTH	DEPTH
1 level	1500.53	1500.54
2 levels	1500.55	1500.56
3 levels	1500.57	1500.58

Tray COMPACT



Tray Compact

MODEL	DIM. L X W	DIM. INT. L X W	REF.
Alu epoxy	437 x 410 mm	405 x 340 mm	1500.43

Eolis® - Pill Dispenser



Label Holder for Handles (drawers and patient bins)

HEIGHT	DIM. L X W X H	REF.
1/6	L. 58 mm	1103.46
1/4	L. 100 mm	1103.47
1/3	L. 146 mm	1103.48

Pack of 12 Coloured Labels Ref. 1103.46 / 1103.47 / 1103.48

	REF.
L. 1/6	1101.10
L. 1/4	1101.11



Adhesive Label Holder

LENGTH	DIM. L X H	UNIT	BATCH OF 50 UNITS
60 mm	60 x 40 mm	1101.45	1106.20
75 mm	75 x 32 mm	1106.05	-
350 mm	350 x 40 mm	1101.46	-
1200 mm	1200 x 30 mm	1200.69	-



Clip Label Holder

MODEL	UNIT	BATCH OF 50 UNITS
Vertical	1102.69	1106.18
Horizontal	1106.06	1106.17
Horizontal protection	1106.07	-

White Plate for adhesive or clip label holder

MODEL	REF.
L. 60 x H. 38 mm	1102.74
Batch of 50 plaques PVC	1106.19



21 Printable Labels (60 x 40mm) per sheet large colour choice

MODEL	REF.
L. 60 x H. 40 mm	1106.08

	REF.	Drawers 600 x 400	Subdivision bins	Baskets 600 x 400	Patient bins
Label holder for handles	1103.46	✓			✓
	1103.47	✓			✓
	1103.48	✓			✓
Adhesive label holder	1101.45		✓*	✓	✓*
	1106.05		✓*	✓	✓*
	1101.46			✓	
	1200.69			✓	
Clip label holder	1102.69			✓	
	1106.06	✓*	✓*	✓	✓*

* to be fixed on separation

Explore our other brands.

Teal supply into a diverse range of healthcare environments. Our innovative, class leading products help to complement latest healthcare interiors, whilst satisfying the demands of clinical environments.

Our products focus on infection control, pressure management and manual handling and help to promote patient dignity, staff safety and contribute towards a therapeutic and healing patient environment.

Our Healthcare Furniture Solutions includes:

- Patient Seating
- Ward & Specialist Solutions
- Patient Recliners
- Waiting & Atrium
- Sofas & Armchairs
- Tub & Utility Seating
- Dining Tables & Chairs
- Lounge Cabinets
- Bedroom Furniture



teal + health

At Teal we are committed to offering a range of premium quality medical equipment to help optimise efficiency and enhance the environment for healthcare professionals.

Designed for demanding high traffic healthcare environments our ranges include sterilisation furniture, transport trolleys, shelving & storage, operating room furniture, height-adjustable stools, waste & linen management, examination & consultation equipment and Eolis® modular trolleys - fully customisable, with multiple options available to meet clinical needs.

teal

Branch Road
Lower Darwen
Lancashire
BB3 0PR

Tel: +44 (0) 1254 688210
Sales Freephone: 0800 980 8998
Email: sales@teal.co.uk
www.teal.co.uk

The Senator Group

Issue 1 03/25